

**INSTITUTE OF JUDICIAL ADMINISTRATION - LUSHOTO**  
**DEPARTMENT OF JUDICIAL AND LEGAL STUDIES -JLS**  
**Detailed Results**

NTA Level: 6 - Field of study: Law

Year of Study: 2016 / 2017 Semester: II Weight : CA 50% SE 50%

**Key:**  
**JLT06202 - Introduction to Criminology and Penology**  
**JLT06203 - Introduction to Law of Torts and Practice**  
**JLT06204 -Introduction to Land and Practice**  
**JLT06105 - Principles of Environmental Law**  
**JLT06210 - Principles of Child Law**  
**JLT05208 - Field Attachment**  
**CA - Continuous Assessment, SE - Semester Examination, TS - Total Score, GR - Grade, GPA - Grade Point Average**

**Summary Results**                      **PASS: 131**    **SUPPL: 9**    **POSTPONED: 2**    **DISCO: 0**

Module Credit		10				15				15				10				7				10				Semester G.P.A	Remarks
Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208					
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
S/N	Examination Number																										
1	E.16601	36.0	41.0	77	A	43.5	30.5	74	B+	32.0	42.0	74	B+	29.5	38.0	68	B+	40.0	35.5	76	A	19.5	62.0	82	A	4.4	PASS
2	E.16602	33.5	37.0	71	B+	37.5	32.0	70	B+	38.0	44.0	82	A	34.0	31.5	66	B+	37.5	42.0	80	A	19.5	62.0	82	A	4.4	SUPPL(JLT06)111
3	E.16603	39.5	44.5	84	A	44.0	41.0	85	A	44.0	38.5	83	A	41.0	41.5	83	A	44.0	40.5	85	A	19.0	67.0	86	A	5.0	PASS
4	E.16604	36.0	37.0	73	B+	37.0	40.5	78	A	37.0	39.0	76	A	30.0	38.5	69	B+	40.5	38.0	79	A	16.0	69.0	85	A	4.7	PASS
5	E.16605	37.5	30.5	68	B+	32.0	35.0	67	B+	30.0	37.0	67	B+	28.5	39.0	68	B+	30.5	20.0	51	D	16.5	46.5	63	B	3.5	SUPPL(JLT06)107,210
6	E.16606	33.0	42.0	75	A	40.0	40.5	81	A	42.0	39.0	81	A	33.0	34.5	68	B+	37.5	38.0	76	A	20.0	69.0	89	A	4.8	SUPPL(JLT06)107
7	E.16607	30.5	38.0	69	B+	32.5	36.0	69	B+	41.0	37.0	78	A	30.0	32.0	62	B	41.5	36.5	78	A	18.0	57.0	75	A	4.3	SUPPL(JLT06)111
8	E.16608	32.5	35.0	68	B+	35.5	34.5	70	B+	36.0	35.0	71	B+	32.0	31.0	63	B	41.5	31.0	73	B+	18.5	56.0	75	A	4.0	SUPPL(JLT06)108
9	E.16609	34.0	38.5	73	B+	35.5	35.0	71	B+	35.0	41.0	76	A	29.0	34.0	63	B	42.0	37.0	79	A	19.5	54.0	74	B+	4.1	SUPPL(JLT06)107,108
10	E.16610	37.0	39.0	76	A	39.5	38.0	78	A	49.0	32.0	81	A	31.0	30.5	62	B	35.0	33.0	68	B+	17.0	53.0	70	B+	4.4	SUPPL(JLT06)106
11	E.16611	38.0	37.5	76	A	34.5	38.5	73	B+	33.0	41.5	75	A	29.0	35.0	64	B	41.5	36.5	78	A	18.0	75.0	93	A	4.4	SUPPL(JLT06)111
12	E.16612	36.0	39.5	76	A	39.0	33.5	73	B+	37.0	37.0	74	B+	33.0	36.0	69	B+	40.5	36.5	77	A	19.0	71.0	90	A	4.4	SUPPL(JLT06)107
13	E.16613	36.5	41.5	78	A	41.0	45.0	86	A	31.0	42.5	74	B+	37.0	36.5	74	B+	41.0	43.0	84	A	19.0	67.0	86	A	4.6	SUPPL(JLT06)111
14	E.16614	40.0	33.5	74	B+	42.0	40.0	82	A	37.0	36.5	74	B+	35.0	37.5	73	B+	42.5	36.0	79	A	18.5	67.0	86	A	4.4	PASS
15	E.16616	39.5	36.5	76	A	38.5	31.0	70	B+	29.0	40.0	69	B+	34.5	38.0	73	B+	33.0	33.5	67	B+	20.0	71.0	91	A	4.2	SUPPL(JLT06)107
16	E.16617	39.5	32.5	72	B+	38.0	39.0	77	A	38.0	36.0	74	B+	28.0	31.5	60	B	41.0	33.5	75	A	16.0	63.0	79	A	4.3	SUPPL(JLT06)107

Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208				Semester G.P.A	Remarks
S/N	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
17	E.16618	36.5	28.0	65	B+	38.5	40.5	79	A	36.0	37.0	73	B+	33.0	35.5	69	B+	41.0	31.0	72	B+	20.0	68.0	88	A	4.3	SUPPL(JLT06)108,111
18	E.16619	42.0	42.0	84	A	39.0	34.5	74	B+	34.0	40.5	75	A	37.0	39.5	77	A	42.5	44.0	87	A	20.0	64.0	84	A	4.7	PASS
19	E.16620	36.5	44.0	81	A	40.5	41.0	82	A	45.0	43.0	88	A	36.5	39.0	76	A	41.0	36.5	78	A	19.6	65.0	85	A	5.0	PASS
20	E.16621	37.5	40.0	78	A	35.5	29.0	65	B+	33.0	31.0	64	B	30.5	28.0	59	B	42.0	27.5	70	B+	17.0	67.0	84	A	3.9	SUPPL(JLT06)107
21	E.16622	33.5	30.0	64	B	38.0	38.5	77	A	37.0	45.0	82	A	38.0	33.5	72	B+	40.0	38.0	78	A	20.0	68.5	89	A	4.5	PASS
22	E.16623	41.5	38.5	80	A	42.0	42.5	85	A	39.0	42.0	81	A	35.0	41.5	77	A	35.0	44.5	80	A	20.0	74.0	94	A	5.0	PASS
23	E.16624	37.0	35.5	73	B+	37.0	32.5	70	B+	37.0	37.0	74	B+	39.5	34.0	74	B+	35.5	33.5	69	B+	20.0	67.5	88	A	4.1	SUPPL(JLT06)101,107
24	E.16625	36.5	42.5	79	A	40.0	46.0	86	A	29.0	32.0	61	B	34.5	37.5	72	B+	43.0	40.5	84	A	19.0	70.0	89	A	4.4	PASS
25	E.16626	39.0	37.0	76	A	35.5	32.5	68	B+	38.0	28.0	66	B+	31.0	34.5	66	B+	38.0	31.0	69	B+	20.0	72.0	92	A	4.2	PASS
26	E.16627	37.0	41.0	78	A	39.0	42.5	82	A	43.0	41.5	85	A	35.5	34.5	70	B+	42.5	40.5	83	A	19.5	70.0	90	A	4.8	SUPPL(JLT06)108,111
27	E.16628	39.0	40.5	80	A	32.5	40.0	73	B+	40.0	36.0	76	A	38.5	35.0	74	B+	39.5	34.0	74	B+	20.0	74.0	94	A	4.5	SUPPL(JLT06)107,111
28	E.16629	40.0	39.0	79	A	36.5	39.5	76	A	38.0	37.0	75	A	27.0	34.0	61	B	42.5	38.0	81	A	19.5	68.0	88	A	4.7	PASS
29	E.16630	39.0	42.5	82	A	39.5	35.5	75	A	27.0	44.0	71	B+	40.0	36.5	77	A	43.5	36.0	80	A	17.5	52.0	70	B+	4.6	PASS
30	E.16631	37.5	40.0	78	A	43.0	36.0	79	A	36.0	31.0	67	B+	37.0	33.5	71	B+	39.5	33.5	73	B+	15.5	65.5	81	A	4.5	PASS
31	E.16632	34.5	33.5	68	B+	35.5	39.5	75	A	37.0	36.0	73	B+	34.0	35.5	70	B+	40.0	38.0	78	A	17.5	59.0	77	A	4.4	PASS
32	E.16633	38.5	35.5	74	B+	37.5	44.0	82	A	41.5	31.0	73	B+	29.5	41.0	71	B+	42.5	34.0	77	A	12.0	53.0	65	B+	4.3	PASS
33	E.16634	38.0	42.5	81	A	35.0	37.0	72	B+	38.0	29.0	67	B+	27.0	34.5	62	B	44.0	36.5	81	A	19.5	63.0	83	A	4.2	SUPPL(JLT06)111
34	E.16635	38.0	38.0	76	A	40.0	42.0	82	A	33.0	39.0	72	B+	36.0	37.0	73	B+	40.0	36.5	77	A	20.0	75.0	95	A	4.6	PASS
35	E.16636	39.0	42.0	81	A	30.5	36.0	67	B+	33.0	35.5	69	B+	41.5	27.5	69	B+	41.5	27.0	69	B+	19.5	68.0	88	A	4.2	PASS
36	E.16637	39.5	31.0	71	B+	38.5	33.5	72	B+	39.0	40.0	79	A	38.5	30.5	69	B+	40.5	33.5	74	B+	19.0	63.0	82	A	4.3	SUPPL(JLT06)111
37	E.16638	39.5	28.0	68	B+	37.0	30.0	67	B+	34.0	38.0	72	B+	28.0	35.0	63	B	42.0	40.5	83	A	18.0	49.0	67	B+	3.9	PASS
38	E.16639	34.5	25.5	60	D	36.0	39.0	75	A	36.0	30.0	66	B+	31.0	28.5	60	B	38.5	32.5	71	B+	17.0	64.5	82	A	3.7	SUPPL(JLT06)106,107, 202
39	E.16640	37.5	38.5	76	A	38.5	31.5	70	B+	31.0	32.0	63	B	26.0	27.5	54	C	41.0	28.5	70	B+	19.2	68.0	87	A	3.7	SUPPL(JLT06)106,107
40	E.16641	39.5	29.0	69	B+	38.0	34.0	72	B+	38.0	30.0	68	B+	37.0	40.5	78	A	40.5	35.5	76	A	20.0	61.0	81	A	4.4	SUPPL(JLT06)111
41	E.16642	38.0	36.5	75	A	39.0	29.0	68	B+	35.0	30.0	65	B+	28.5	33.5	62	B	40.5	34.0	75	A	18.0	59.0	77	A	4.2	SUPPL(JLT06)107
42	E.16643	34.5	36.5	71	B+	34.5	28.5	63	B	38.0	31.0	69	B+	39.0	36.0	75	A	38.0	41.5	80	A	16.0	73.0	89	A	4.1	SUPPL(JLT06)107
43	E.16644	40.5	37.5	78	A	37.5	41.5	79	A	32.0	27.0	59	B	36.0	32.0	68	B+	42.0	29.0	71	B+	20.0	56.0	76	A	4.2	SUPPL(JLT06)107
44	E.16645	36.0	38.5	75	A	37.0	37.0	74	B+	39.0	35.5	75	A	26.0	28.0	54	C	40.0	27.0	67	B+	16.0	54.0	70	B+	4.0	SUPPL(JLT06)107,111
45	E.16646	38.5	40.0	79	A	36.0	35.0	71	B+	39.0	29.0	68	B+	29.0	37.0	66	B+	44.0	28.5	73	B+	19.5	62.0	82	A	4.2	SUPPL(JLT06)107,111
46	E.16647	39.0	34.5	74	B+	38.5	41.0	80	A	40.0	41.5	82	A	37.0	35.0	72	B+	37.0	38.0	75	A	18.0	63.0	81	A	4.7	SUPPL(JLT06)107
47	E.16648	33.5	35.0	69	B+	40.0	42.0	82	A	37.0	39.0	76	A	29.0	30.5	60	B	37.5	30.0	68	B+	15.0	71.0	86	A	4.4	PASS
48	E.16649	40.0	36.0	76	A	34.5	43.5	78	A	33.0	38.5	72	B+	27.0	32.5	60	B	40.5	32.5	73	B+	17.0	73.0	90	A	4.3	PASS

Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208				Semester G.P.A	Remarks
S/N	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
49	E.16650	35.5	36.0	72	B+	39.5	45.0	85	A	40.0	32.5	73	B+	27.0	37.0	64	B	41.0	33.0	74	B+	16.0	67.0	83	A	4.2	SUPPL(JLT06)111
50	E.16651	40.5	44.0	85	A	44.5	37.0	82	A	42.0	43.0	85	A	30.0	39.0	69	B+	39.0	40.0	79	A	16.0	69.0	85	A	4.8	PASS
51	E.16652	36.0	27.5	64	B	34.5	39.5	74	B+	36.0	28.0	64	B	35.0	29.5	65	B+	40.5	37.5	78	A	20.0	74.0	94	A	3.8	PASS
52	E.16653	39.0	36.5	76	A	33.5	40.5	74	B+	47.0	39.5	87	A	27.0	42.5	70	B+	38.0	29.0	67	B+	18.0	66.0	84	A	4.5	SUPPL(JLT06)107
53	E.16654	37.0	39.0	76	A	38.0	40.0	78	A	33.0	34.0	67	B+	37.0	33.0	70	B+	36.5	35.5	72	B+	20.0	58.0	78	A	4.5	PASS
54	E.16655	0.0	0.0	0	F	0.0	0.0	0	F	19.0	0.0	19	F	0.0	0.0	0	F	0.0	0.0	0	F	9.0	0.0	9	F	0.0	POSTPONE
55	E.16656	39.5	37.0	77	A	38.5	35.5	74	B+	40.0	40.5	81	A	33.0	35.0	68	B+	40.5	39.0	80	A	16.0	63.0	79	A	4.6	PASS
56	E.16657	37.0	36.0	73	B+	40.5	42.0	83	A	39.0	42.0	81	A	30.0	31.5	62	B	42.0	27.0	69	B+	20.0	58.0	78	A	4.4	PASS
57	E.16658	37.0	41.0	78	A	39.0	44.0	83	A	45.0	34.0	79	A	36.0	40.5	77	A	44.0	40.5	85	A	19.4	73.0	92	A	5.0	PASS
58	E.16659	33.5	35.0	69	B+	40.0	40.5	81	A	41.0	40.0	81	A	39.5	44.0	84	A	41.0	40.5	82	A	20.0	63.0	83	A	4.8	PASS
59	E.16660	36.0	35.5	72	B+	36.0	32.5	69	B+	30.0	34.5	65	B+	32.0	35.0	67	B+	36.0	27.0	63	B	19.5	48.0	68	B+	3.8	SUPPL(JLT06)107,111
60	E.16661	36.0	38.5	75	A	33.5	35.0	69	B+	34.0	34.0	68	B+	36.5	29.0	66	B+	39.0	28.5	68	B+	18.0	71.0	89	A	4.2	SUPPL(JLT06)107,108
61	E.16662	35.0	41.0	76	A	37.5	35.5	73	B+	32.0	42.0	74	B+	31.0	37.5	69	B+	41.5	36.0	78	A	18.0	58.0	76	A	4.4	PASS
62	E.16663	35.5	42.0	78	A	36.5	39.5	76	A	40.0	31.0	71	B+	26.0	36.5	63	B	41.5	41.0	83	A	19.0	62.0	81	A	4.4	PASS
63	E.16664	38.5	41.5	80	A	31.5	37.5	69	B+	33.0	34.5	68	B+	29.5	33.5	63	B	42.0	39.0	81	A	19.0	70.0	89	A	4.2	PASS
64	E.16665	33.0	35.0	68	B+	30.5	36.5	67	B+	47.0	31.5	79	A	27.0	31.0	58	B	41.0	42.5	84	A	20.0	50.0	70	B+	4.1	SUPPL(JLT06)107,111
65	E.16666	33.5	42.5	76	A	44.5	45.5	90	A	38.0	41.5	80	A	33.5	41.5	75	A	37.0	32.5	70	B+	19.0	71.0	90	A	4.8	PASS
66	E.16667	36.0	35.0	71	B+	41.5	38.0	80	A	46.0	32.0	78	A	37.0	39.0	76	A	37.0	41.0	78	A	16.0	53.0	69	B+	4.7	PASS
67	E.16668	42.0	36.0	78	A	41.5	43.0	85	A	44.0	29.0	73	B+	27.0	31.5	59	B	41.5	39.0	81	A	18.0	59.0	77	A	4.4	PASS
68	E.16669	40.0	42.0	82	A	39.5	21.5	61	D	30.0	33.0	63	B	30.0	28.0	58	B	41.0	33.5	75	A	17.5	58.0	76	A	3.3	SUPPL(JLT06)203
69	E.16670	44.5	44.5	89	A	43.5	36.5	80	A	43.0	43.0	86	A	36.0	44.0	80	A	40.5	43.0	84	A	18.0	75.0	93	A	5.0	SUPPL(JLT06)111
70	E.16671	36.5	33.0	70	B+	35.5	43.0	79	A	47.0	43.0	90	A	36.5	37.0	74	B+	39.0	33.0	72	B+	19.0	71.0	90	A	4.5	SUPPL(JLT06)107
71	E.16672	38.5	32.0	71	B+	41.5	41.5	83	A	49.0	42.0	91	A	37.0	38.5	76	A	44.0	41.5	86	A	19.0	68.0	87	A	4.8	PASS
72	E.16673	41.0	37.5	79	A	30.5	36.0	67	B+	49.0	37.0	86	A	32.0	30.0	62	B	43.5	32.5	76	A	20.0	66.0	86	A	4.4	SUPPL(JLT06)107
73	E.16674	34.0	39.0	73	B+	33.0	38.5	72	B+	40.0	29.0	69	B+	32.0	33.0	65	B+	42.5	33.5	76	A	15.0	58.0	73	B+	4.1	PASS
74	E.16675	39.0	34.5	74	B+	39.5	47.0	87	A	42.0	43.0	85	A	38.0	39.5	78	A	44.5	40.5	85	A	19.5	67.0	87	A	4.8	PASS
75	E.16676	41.5	41.0	83	A	39.0	39.5	79	A	36.0	32.0	68	B+	38.5	37.0	76	A	39.5	38.5	78	A	18.0	71.0	89	A	4.7	SUPPL(JLT06)107
76	E.16677	37.0	32.0	69	B+	37.0	41.5	79	A	37.0	35.0	72	B+	25.5	39.5	65	B+	40.0	31.5	72	B+	19.2	61.0	80	A	4.3	SUPPL(JLT06)111
77	E.16678	39.0	0.0	39	D	36.0	35.0	71	B+	38.0	43.0	81	A	31.5	29.0	61	B	40.0	34.5	75	A	18.0	57.0	75	A	3.8	SUPPL(JLT06)107,111, POSTPONE,202
78	E.16679	35.0	39.0	74	B+	43.0	38.0	81	A	37.0	40.0	77	A	29.0	42.0	71	B+	38.0	42.0	80	A	16.0	71.0	87	A	4.7	PASS
79	E.16680	37.0	31.5	69	B+	40.0	39.5	80	A	39.0	38.5	78	A	30.0	32.5	63	B	43.5	35.5	79	A	18.5	60.0	79	A	4.5	PASS
80	E.16681	35.0	35.5	71	B+	36.5	39.5	76	A	41.0	37.0	78	A	43.0	32.0	75	A	36.0	33.5	70	B+	20.0	60.0	80	A	4.7	SUPPL(JLT06)107
81	E.16682	33.5	37.0	71	B+	40.5	45.0	86	A	32.0	38.5	71	B+	37.0	40.0	77	A	36.5	36.5	73	B+	19.5	60.5	80	A	4.5	PASS
82	E.16683	37.5	40.5	78	A	32.5	41.5	74	B+	35.0	40.5	76	A	34.0	40.5	75	A	42.5	38.5	81	A	19.5	70.0	90	A	4.7	SUPPL(JLT06)111
83	E.16684	40.0	35.5	76	A	40.5	33.5	74	B+	38.0	29.0	67	B+	38.5	30.5	69	B+	39.5	29.5	69	B+	19.5	66.5	86	A	4.2	SUPPL(JLT06)111

Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208				Semester G.P.A	Remarks
S/N	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
84	E.16685	34.0	31.0	65	B+	36.5	34.5	71	B+	35.0	35.0	70	B+	36.0	34.5	71	B+	37.5	33.5	71	B+	19.0	63.0	82	A	4.1	SUPPL(JLT06)109,111
85	E.16686	38.5	35.0	74	B+	39.0	34.5	74	B+	30.0	39.0	69	B+	41.0	34.0	75	A	41.0	30.0	71	B+	20.0	63.0	83	A	4.2	PASS
86	E.16687	36.0	27.5	64	B	37.5	33.0	71	B+	30.0	37.5	68	B+	31.0	17.0	48	D	38.0	27.5	66	B+	20.0	62.0	82	A	3.5	SUPPL(JLT06)107,105
87	E.16688	38.5	41.0	80	A	41.5	41.5	83	A	29.0	35.0	64	B	36.0	36.0	72	B+	42.0	37.0	79	A	19.0	62.0	81	A	4.4	PASS
88	E.16689	36.0	35.5	72	B+	38.5	39.5	78	A	33.0	46.0	79	A	27.0	34.0	61	B	42.0	27.0	69	B+	18.0	64.0	82	A	4.4	SUPPL(JLT06)107
89	E.16690	31.5	34.0	66	B+	36.0	35.0	71	B+	33.0	33.0	66	B+	27.0	33.5	61	B	33.0	35.5	69	B+	19.5	70.5	90	A	4.0	SUPPL(JLT06)111
90	E.16691	41.5	35.5	77	A	35.0	38.5	74	B+	44.0	34.0	78	A	34.0	27.0	61	B	38.5	36.0	75	A	20.0	68.0	88	A	4.4	SUPPL(JLT06)111
91	E.16692	40.0	40.0	80	A	39.5	37.5	77	A	27.0	37.0	64	B	32.0	32.5	65	B+	39.0	36.5	76	A	19.5	57.0	77	A	4.4	SUPPL(JLT06)107,108,111
92	E.16693	41.5	35.5	77	A	31.5	38.5	70	B+	33.0	32.0	65	B+	38.0	33.5	72	B+	39.5	34.5	74	B+	20.0	58.0	78	A	4.2	SUPPL(JLT06)106,107
93	E.16694	39.5	32.5	72	B+	35.0	38.5	74	B+	38.0	28.0	66	B+	34.5	29.0	64	B	36.5	27.0	64	B	18.0	57.5	76	A	3.8	SUPPL(JLT06)107,108,111
94	E.16695	42.5	33.0	76	A	37.5	43.5	81	A	33.0	34.0	67	B+	28.0	34.0	62	B	39.0	42.0	81	A	19.5	57.5	77	A	4.4	SUPPL(JLT06)101,111
95	E.16696	33.0	32.0	65	B+	36.5	34.0	71	B+	42.0	36.0	78	A	36.0	27.0	63	B	38.5	31.0	70	B+	15.0	67.0	82	A	4.2	SUPPL(JLT06)106,111
96	E.16697	37.5	37.5	75	A	42.0	36.0	78	A	38.0	40.0	78	A	38.5	38.5	77	A	37.5	33.5	71	B+	19.5	76.0	96	A	4.8	PASS
97	E.16698	36.0	36.0	72	B+	28.0	27.0	55	B	35.0	35.0	70	B+	33.0	27.0	60	B	40.5	23.0	64	D	17.5	66.0	84	A	3.4	STPONE (JLT06) 106, SUPPL (JLT06)107,210
98	E.16699	34.0	33.0	67	B+	35.0	41.0	76	A	47.5	41.0	89	A	29.0	32.5	62	B	42.0	24.0	66	D	20.0	72.0	92	A	4.1	SUPPL(JLT06)210
99	E.166101	34.0	28.0	62	B	29.0	34.5	64	B	43.0	29.0	72	B+	38.0	27.0	65	B+	36.0	24.5	61	D	20.0	65.0	85	A	3.4	SUPPL(JLT06)101,106,107,111,210
100	E.166102	41.0	26.5	68	D	34.5	38.5	73	B+	46.0	40.0	86	A	29.0	35.5	65	B+	38.5	35.0	74	B+	19.0	72.0	92	A	3.9	SUPPL(JLT06)202
101	E.166103	36.5	32.5	69	B+	35.0	43.5	79	A	32.0	44.0	76	A	35.5	40.5	76	A	39.0	39.5	79	A	19.5	70.5	90	A	4.8	SUPPL(JLT06)111
102	E.166104	37.0	37.5	75	A	37.0	38.5	76	A	42.0	32.0	74	B+	29.0	39.5	69	B+	36.0	32.0	68	B+	19.5	73.0	93	A	4.5	PASS
103	E.166105	37.0	37.5	75	A	45.0	41.0	86	A	38.0	43.0	81	A	40.5	36.0	77	A	40.5	39.0	80	A	17.5	62.0	80	A	5.0	PASS
104	E.166106	40.0	43.5	84	A	39.0	41.5	81	A	34.0	32.0	66	B+	36.0	38.0	74	B+	42.5	34.0	77	A	15.0	72.0	87	A	4.6	SUPPL(JLT06)107
105	E.166107	39.0	38.5	78	A	36.0	42.5	79	A	37.0	39.0	76	A	32.0	37.0	69	B+	42.5	27.0	70	B+	20.0	54.0	74	B+	4.5	PASS
106	E.166108	38.5	40.0	79	A	39.5	40.5	80	A	36.0	35.5	72	B+	34.5	40.0	75	A	29.0	36.0	65	B+	18.5	66.0	85	A	4.6	PASS
107	E.166109	41.0	36.0	77	A	34.0	47.0	81	A	46.0	35.0	81	A	41.5	40.0	82	A	42.0	40.0	82	A	17.0	69.0	86	A	5.0	SUPPL(JLT06)107,111
108	E.166110	34.0	32.5	67	B+	41.0	38.0	79	A	45.0	34.5	80	A	30.0	38.5	69	B+	42.0	38.5	81	A	19.0	68.0	87	A	4.7	PASS
109	E.166111	35.0	37.5	73	B+	41.5	40.0	82	A	40.0	37.0	77	A	39.0	34.5	74	B+	41.0	37.5	79	A	20.0	65.5	86	A	4.7	PASS
110	E.166112	37.0	41.5	79	A	44.0	42.0	86	A	50.0	40.0	90	A	41.0	42.0	83	A	39.5	42.0	82	A	20.0	72.0	92	A	5.0	PASS
111	E.166113	37.5	38.5	76	A	36.0	40.5	77	A	31.0	37.0	68	B+	35.0	36.0	71	B+	39.5	40.5	80	A	16.0	60.0	76	A	4.6	SUPPL(JLT06)111
112	E.166114	40.5	35.0	76	A	38.5	37.0	76	A	37.0	41.0	78	A	35.5	32.0	68	B+	41.5	29.5	71	B+	19.0	77.0	96	A	4.7	SUPPL(JLT06)111
113	E.166115	38.5	31.0	70	B+	39.0	28.0	67	B+	33.0	39.0	72	B+	30.0	32.5	63	B	34.5	30.5	65	B+	20.0	69.0	89	A	4.0	SUPPL(JLT06)107
114	E.166116	34.0	37.5	72	B+	37.5	41.5	79	A	36.0	43.0	79	A	33.0	31.5	65	B+	42.0	35.5	78	A	17.5	71.0	89	A	4.7	SUPPL(JLT06)111
115	E.166117	34.0	38.0	72	B+	33.5	36.5	70	B+	34.0	38.0	72	B+	32.0	27.5	60	B	37.0	29.0	66	B+	19.0	53.0	72	B+	3.8	SUPPL(JLT06)107,111
116	E.166118	36.5	43.0	80	A	44.5	43.5	88	A	35.0	38.5	74	B+	33.0	29.0	62	B	45.0	39.5	85	A	20.0	65.0	85	A	4.4	PASS

Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208				Semester G.P.A	Remarks
S/N	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
117	E.166119	37.5	41.0	79	A	37.0	40.0	77	A	29.0	41.0	70	B+	33.0	40.5	74	B+	44.5	44.0	89	A	20.0	64.0	84	A	4.6	PASS
118	E.166120	27.5	29.0	57	B	41.0	38.5	80	A	42.0	35.0	77	A	35.5	29.0	65	B+	42.5	39.5	82	A	19.5	65.0	85	A	4.5	PASS
119	E.166121	39.5	39.0	79	A	37.5	36.5	74	B+	35.0	38.0	73	B+	42.0	39.0	81	A	43.5	37.0	81	A	20.0	56.0	76	A	4.5	PASS
120	E.166122	39.0	34.0	73	B+	34.0	38.0	72	B+	36.0	35.0	71	B+	23.0	27.0	50	C	38.5	20.0	59	D	16.0	62.0	78	A	3.5	SUPPL(JLT06)107,210
121	E.166123	42.5	38.0	81	A	41.5	43.5	85	A	36.0	37.5	74	B+	40.5	41.5	82	A	40.5	38.0	79	A	19.5	67.5	87	A	4.7	PASS
122	E.166124	38.5	41.5	80	A	41.5	40.0	82	A	39.0	34.0	73	B+	38.0	36.0	74	B+	36.5	41.0	78	A	17.0	72.0	89	A	4.6	PASS
123	E.166125	38.5	30.5	69	B+	40.0	28.5	69	B+	40.0	28.0	68	B+	33.0	29.5	63	B	43.5	34.0	78	A	20.0	68.0	88	A	4.1	SUPPL(JLT06)107,111
124	E.166126	40.5	36.0	77	A	37.0	37.5	75	A	30.0	38.0	68	B+	31.0	30.0	61	B	39.5	27.0	67	B+	16.0	65.0	81	A	4.3	SUPPL(JLT06)107,111
125	E.166127	40.0	30.0	70	B+	37.0	36.5	74	B+	28.0	33.0	61	B	36.5	28.0	65	B+	36.0	31.0	67	B+	18.5	66.0	85	A	3.9	PASS
126	E.166128	40.5	37.5	78	A	39.0	36.0	75	A	30.0	39.0	69	B+	33.5	39.5	73	B+	41.5	42.0	84	A	17.0	72.0	89	A	4.6	PASS
127	E.166129	40.5	43.5	84	A	37.5	38.5	76	A	40.5	43.0	84	A	39.0	36.5	76	A	40.5	41.5	82	A	16.5	63.0	80	A	5.0	PASS
128	E.166130	40.0	41.0	81	A	35.0	37.0	72	B+	40.0	41.0	81	A	37.0	34.0	71	B+	39.5	33.0	73	B+	19.5	63.0	83	A	4.5	PASS
129	E.166131	33.5	29.5	63	B	31.5	30.0	62	B	27.0	36.0	63	B	30.0	38.0	68	B+	32.0	21.5	54	D	19.0	62.5	82	A	3.2	SUPPL(JLT06)107,111,210
130	E.166132	38.0	37.0	75	A	31.5	34.5	66	B+	36.0	38.5	75	A	29.0	27.0	56	B	42.5	27.0	70	B+	20.0	45.0	65	B+	4.2	SUPPL(JLT06)107
131	E.166133	35.0	40.5	76	A	43.5	42.0	86	A	48.0	43.0	91	A	39.0	42.0	81	A	41.0	37.0	78	A	19.5	66.0	86	A	5.0	PASS
132	E.166134	40.0	39.5	80	A	40.0	43.5	84	A	35.0	34.0	69	B+	39.0	38.0	77	A	43.0	34.5	78	A	19.5	56.5	76	A	4.7	PASS
133	E.166135	35.5	29.5	65	B+	38.0	41.5	80	A	45.0	34.0	79	A	35.0	31.0	66	B+	37.0	26.0	63	D	19.5	63.5	83	A	4.2	SUPPL(JLT06)107,111,210
134	E.166136	42.0	34.5	77	A	38.0	40.5	79	A	38.0	34.0	72	B+	39.0	36.0	75	A	33.5	30.5	64	B	20.0	60.0	80	A	4.5	SUPPL(JLT06)106
135	E.166137	38.5	41.0	80	A	41.0	36.5	78	A	40.0	38.0	78	A	32.5	35.5	68	B+	43.0	37.5	81	A	19.0	76.0	95	A	4.8	PASS
136	E.166138	39.0	36.0	75	A	38.5	40.0	79	A	33.0	37.5	71	B+	32.5	40.0	73	B+	41.0	35.0	76	A	19.0	73.0	92	A	4.6	SUPPL(JLT06)107
137	E.166139	33.5	30.5	64	B	33.0	43.0	76	A	40.0	30.5	71	B+	35.5	30.0	66	B+	35.5	28.0	64	B	19.5	46.0	66	B+	3.9	SUPPL(JLT06)107
138	E.166140	35.0	40.5	76	A	34.5	35.0	70	B+	36.0	38.5	75	A	40.5	38.0	79	A	38.0	38.0	76	A	15.5	73.0	89	A	4.7	PASS
139	E.166141	39.5	36.0	76	A	42.0	43.5	86	A	39.0	32.0	71	B+	37.0	37.0	74	B+	43.0	38.0	81	A	10.0	51.0	61	B	4.3	PASS
SUMMARY PER MODULE	PASS:	135				137				138				137				131				138					
	SUPPL:	3				1				0				1				7				0					
	POSTPONED:	1				1				1				1				1				1					
	TOTAL:	139				139				139				139				139				139					

Module Code:	JLT06202	JLT06203	JLT06204	JLT06105	JLT06210	JLT06208	
--------------	----------	----------	----------	----------	----------	----------	--

Module Code:		JLT06202				JLT06203				JLT06204				JLT06105				JLT06210				JLT05208				Semester G.P.A	Remarks
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	FR	TS	GR		
S/N	Examination Number																										
S/N	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	FS	CF	TS	GR	Semester GPA	Remarks
1	E.166142	48.0	32.0	80	A	24.0	37.0	61	B	32.0	28.0	60	B	42.0	33.5	76	A	39.0	34.0	73	B+	30.0	38.0	68	B+	4.0	PASS
2	E.166143	47.5	38.0	86	A	33.5	39.0	73	B+	33.0	34.5	68	B+	31.0	39.5	71	B+	36.0	38.0	74	B+	31.5	30.0	62	B	4.0	PASS
3	E.166144	47.5	35.5	83	A	34.0	33.0	67	B+	35.0	0.0	35	D	39.0	31.0	70	B+	35.5	29.5	65	B+	34.0	38.5	73	B+	-	POSTPONE (ILT06)106,204
4	E.166145	42.0	37.0	79	A	39.0	36.5	76	A	35.0	28.0	63	B	28.0	34.0	62	B	36.5	42.5	79	A	32.5	27.5	60	B	4	PASS
SUM	PASS:	4				3				4				4				4									
MARY	SUPPL:	-				-				-				-				-									
PER	POSTPONE:	-				1				-				-				-									
MOD	TOTAL:	4				4				4				4				4									
ULE		4				4				4				4				4									