

**INSTITUTE OF JUDICIAL ADMINISTRATION - LUSHOTO**  
**DEPARTMENT OF JUDICIAL AND LEGAL STUDIES -JLS**  
**Detailed Results**

NTA Level: 5 - Field of study: Law

Key:

JLT05201 - Criminal Procedure and Practice

JLT05206 - Civil Procedure and Practice

JLT05207 - Legal Communication Skills & Report Writing

JLT05211 - Law of Contract

JLT05212-Family, Islamic and Customary Law

JLT05213 -Records and Petty Cash Management

CA - Course Assessment, SE - Semester Examination, TS - Total Score, GR - Grade, GPA - Grade Point Average

Year of Study: 2016 / 2017 Semester: II Weight : CA 50% SE 50%

PASS: 110 SUPPL: 57 POSTPONED: 4 ABSCOND/DISCO: 4

S/N	Exam Number	9				9				8				8				13				9				Semester G.P.A	Remarks
		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213					
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR		
1	E.16501	26.0	16.0	42	D	34.5	25.5	60	C	37.0	41.0	78	B	41.0	37.5	79	B	40.0	39.0	79	B	28.0	27.5	56	C	2.3	SUPPL(JLT05)101,104,202,201
2	E.16504	25.5	26.0	52	C	30.5	33.0	64	C	31.0	28.0	59	C	30.0	27.0	57	C	22.0	30.0	52	C	36.0	30.0	66	B	2.1	SUPPL(JLT05)104,
3	E.16505	34.5	28.5	63	C	36.5	32.5	69	B	31.0	40.5	72	B	43.5	40.0	84	A	36.0	38.5	75	B	37.5	41.5	79	B	2.9	PASS
4	E.16506	29.5	26.0	56	C	36.0	20.5	57	D	38.5	35.5	74	B	39.0	25.5	65	B	30.0	42.5	73	B	32.0	38.0	70	B	2.5	SUPPL(JLT05)101,102,104,206
5	E.16508	24.0	33.5	58	C	35.5	25.0	61	C	36.5	39.0	76	B	41.5	40.0	82	A	33.0	42.0	75	B	31.5	40.0	72	B	2.8	SUPPL(JLT05)103
6	E.16509	27.5	26.0	54	C	40.5	36.0	77	B	36.0	29.5	66	B	38.0	34.5	73	B	31.0	35.5	67	B	23.5	38.5	62	C	2.6	SUPPL(JLT05)105,202
7	E.16510	39.5	31.5	71	B	35.0	39.5	75	B	33.5	32.0	66	B	47.5	34.0	82	A	36.0	40.5	77	B	30.0	39.5	70	B	3.1	PASS
8	E.16511	29.5	25.5	55	C	27.5	37.0	65	B	37.5	38.5	76	B	38.5	31.0	70	B	31.5	33.5	65	B	20.5	27.5	48	D	2.5	SUPPL(JLT05)101,202,213
9	E.16512	32.5	25.5	58	C	37.0	29.5	67	B	40.5	39.5	80	A	46.0	36.5	83	A	41.5	41.0	83	A	26.0	37.5	64	C	3.1	SUPPL(JLT05)104
10	E.16513	22.0	35.5	58	C	27.0	32.0	59	C	36.0	40.5	77	B	38.0	25.0	63	C	25.5	42.0	68	B	33.5	33.5	67	B	2.5	SUPPL(JLT05)102,105,202
11	E.16515	39.0	29.0	68	B	33.5	26.0	60	C	48.0	39.5	88	A	48.5	39.0	88	A	32.5	45.0	78	B	37.5	44.0	82	A	3.2	PASS
12	E.16516	30.0	29.0	59	C	34.5	19.5	54	D	34.0	37.0	71	B	35.0	35.0	70	B	31.0	45.5	77	B	28.5	35.0	64	C	2.3	SUPPL(JLT05)104,202,206
13	E.16518	34.0	29.5	64	C	39.5	34.5	74	B	41.0	40.0	81	A	42.0	38.5	81	A	34.0	46.5	81	A	30.0	41.5	72	B	3.3	PASS
14	E.16520	34.0	30.5	65	B	39.0	34.0	73	B	32.5	35.0	68	B	43.0	36.0	79	B	30.0	41.5	72	B	26.5	33.0	60	C	2.8	SUPPL(JLT05)104
15	E.16521	24.5	19.5	44	D	32.5	27.5	60	C	32.0	33.5	66	B	46.5	25.5	72	B	28.5	36.5	65	B	24.0	29.0	53	C	2.3	SUPPL(JLT05)101,103,104,202,201
16	E.16522	27.5	19.0	47	D	34.0	29.5	64	C	34.5	32.0	67	B	39.5	30.5	70	B	27.5	23.0	51	D	20.5	23.5	44	D	1.7	SUPPL(JLT05)104,201,212, 213
17	E.16525	33.5	25.5	59	C	38.0	27.5	66	B	31.0	29.5	61	C	41.0	38.5	80	A	34.5	38.5	73	B	24.5	27.5	52	C	2.6	PASS
18	E.16526	30.0	27.5	58	C	30.0	25.5	56	C	33.5	41.5	75	B	34.5	32.0	67	B	39.0	41.0	80	A	35.0	34.0	69	B	2.9	SUPPL(JLT05)103,105

S/N	Exam Number	9				9				8				8				13				9				Semester G.P.A	Remarks
		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213					
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR		
19	E.16528	27.0	27.0	54	C	36.0	30.5	67	B	32.5	42.5	75	B	43.5	28.5	72	B	35.5	40.5	76	B	36.0	41.0	77	B	2.8	PASS
20	E.16530	40.5	22.5	63	D	33.0	25.5	59	C	34.5	35.0	70	B	35.5	28.0	64	C	36.0	37.0	73	B	33.5	34.5	68	B	2.3	SUPPL(JLT05)201
21	E.16531	37.0	27.5	65	B	39.0	33.0	72	B	39.0	31.0	70	B	36.5	29.0	66	B	31.5	41.5	73	B	30.5	31.0	62	C	2.8	SUPPL(JLT05)101
22	E.16532	27.0	37.5	65	B	31.0	25.0	56	C	38.0	33.0	71	B	31.5	40.5	72	B	37.5	40.5	78	B	34.5	36.0	71	B	2.8	SUPPL(JLT05)104
23	E.16533	32.0	31.0	63	C	38.0	31.5	70	B	37.0	35.0	72	B	44.5	42.5	87	A	36.0	36.0	72	B	36.0	29.0	65	B	2.9	PASS
24	E.16534	42.5	32.5	75	B	31.0	29.0	60	C	36.0	41.5	78	B	39.0	38.5	78	B	32.0	34.5	67	B	34.5	37.0	72	B	2.8	PASS
25	E.16535	31.0	28.5	60	C	37.5	40.5	78	B	40.0	40.5	81	A	40.5	30.0	71	B	34.0	38.0	72	B	38.0	39.0	77	B	2.9	PASS
26	E.16537	26.5	19.0	46	D	37.5	30.5	68	B	32.5	40.5	73	B	39.5	27.5	67	B	31.5	35.5	67	B	32.5	37.5	70	B	2.6	SUPPL(JLT05)104,202, 201
27	E.16538	35.5	31.5	67	B	38.5	37.0	76	B	37.0	37.5	75	B	45.0	40.5	86	A	36.0	39.0	75	B	30.5	27.5	58	C	2.9	SUPPL(JLT05)104,202
28	E.16539	31.0	25.0	56	C	24.0	31.0	55	C	33.5	29.0	63	C	39.0	25.0	64	C	40.5	40.5	81	A	31.0	28.5	60	C	2.4	SUPPL(JLT05)104
29	E.16540	30.0	28.5	59	C	29.0	34.5	64	C	32.5	37.0	70	B	40.5	28.5	69	B	31.5	39.5	71	B	39.0	40.0	79	B	2.6	SUPPL(JLT05)104
30	E.16541	24.5	16.0	41	D	40.5	23.5	64	D	28.0	38.0	66	B	40.5	29.0	70	B	34.0	26.0	60	C	24.0	34.0	58	C	1.9	SUPPL (JLT05)201, 206
31	E.16542	24.5	25.0	50	C	21.0	27.0	48	D	29.5	33.5	63	C	39.0	26.0	65	B	31.5	30.5	62	C	23.5	30.5	54	C	1.9	SUPPL(JLT05)102,104,206
32	E.16543	14.0	25.5	40	D	38.5	34.0	73	B	32.5	35.0	68	B	40.5	41.0	82	A	33.0	38.0	71	B	28.5	28.0	57	C	2.6	SUPPL(JLT05)201
33	E.16544	22.5	32.0	55	C	33.5	36.0	70	B	38.5	38.0	77	B	39.5	40.5	80	A	35.0	43.5	79	B	35.0	29.5	65	B	2.9	PASS
34	E.16545	25.0	15.0	40	D	25.0	25.5	51	C	27.5	33.5	61	C	26.5	25.0	52	C	31.5	28.0	60	C	16.5	18.0	35	F	1.5	SUPPL(JLT05)102,104, 201,213
35	E.16546	29.5	25.5	55	C	32.0	18.5	51	D	36.0	34.5	71	B	43.0	36.5	80	A	39.0	44.0	83	A	32.5	34.5	67	B	2.8	SUPPL(JLT05)103,104,206
36	E.16547	35.5	27.5	63	C	39.5	25.5	65	B	40.5	38.5	79	B	41.0	35.5	77	B	39.0	41.0	80	A	34.0	38.0	72	B	3.0	SUPPL(JLT05)104
37	E.16548	33.5	31.0	65	B	39.0	25.5	65	B	35.5	28.0	64	C	41.0	38.5	80	A	38.5	39.5	78	B	27.0	34.0	61	C	2.8	SUPPL(JLT05)102,104,202
38	E.16549	31.0	17.5	49	D	23.5	32.0	56	C	35.5	31.0	67	B	38.0	22.5	61	D	37.0	30.5	68	B	29.0	22.0	51	D	1.9	SUPPL(JLT05)101,202,201,211,213
39	E.16550	25.5	34.5	60	C	32.0	26.5	59	C	40.0	0.0	40	D	38.0	28.0	66	B	38.0	40.5	79	B	37.5	45.0	83	A	2.5	SUPPL(JLT05)104 POSTPONE (207)
40	E.16551	28.5	19.0	48	D	31.5	32.0	64	C	35.0	29.0	64	C	43.5	31.5	75	B	39.0	38.5	78	B	34.5	31.5	66	B	2.3	SUPPL(JLT05) 201
41	E.16552	39.5	25.5	65	B	36.0	26.5	63	C	43.0	41.5	85	A	31.5	35.5	67	B	33.5	28.0	62	C	26.5	31.0	58	C	2.5	SUPPL(JLT05)104,105
42	E.16553	35.5	28.0	64	C	38.0	25.5	64	C	28.5	32.5	61	C	36.5	41.5	78	B	34.5	46.0	81	A	40.0	28.0	68	B	2.7	SUPPL(JLT05)101,104
43	E.16554	34.5	28.5	63	C	39.0	35.5	75	B	41.5	31.0	73	B	40.5	41.0	82	A	35.0	40.0	75	B	26.5	38.0	65	B	2.9	PASS
44	E.16555	43.0	30.5	74	B	44.5	35.0	80	A	45.0	42.0	87	A	47.5	37.0	85	A	38.5	40.0	79	B	38.5	45.0	84	A	3.6	PASS
45	E.16556	26.0	27.0	53	C	35.5	31.5	67	B	41.5	42.0	84	A	46.5	35.5	82	A	34.5	36.5	71	B	28.5	36.5	65	B	3.1	SUPPL(JLT05)104,105
46	E.16557	32.0	26.5	59	C	29.5	30.0	60	C	37.5	34.0	72	B	44.0	25.0	69	B	28.5	32.5	61	C	26.0	28.0	54	C	2.2	SUPPL(JLT05)104,105
47	E.16558	37.0	36.0	73	B	38.5	30.5	69	B	49.0	41.0	90	A	46.5	43.0	90	A	33.5	42.0	76	B	32.0	41.5	74	B	3.2	PASS
48	E.16560	32.5	25.5	58	C	37.5	30.0	68	B	36.0	30.0	66	B	43.0	33.5	77	B	36.0	25.0	61	C	32.5	32.5	65	B	2.6	SUPPL(JLT05)104
49	E.16561	31.5	26.0	58	C	31.0	34.5	66	B	38.5	37.0	76	B	33.5	27.0	61	C	29.5	24.0	54	D	26.5	25.5	52	C	2.0	SUPPL(JLT05)104,105,202,212
50	E.16562	33.0	25.0	58	C	36.5	32.0	69	B	45.0	34.0	79	B	33.0	25.5	59	C	26.0	28.5	55	C	37.0	30.5	68	B	2.4	SUPPL(JLT05)202
51	E.16565	34.5	29.0	64	C	43.5	25.0	69	B	36.0	36.0	72	B	40.0	25.0	65	B	37.5	35.5	73	B	32.0	27.0	59	C	2.6	SUPPL(JLT05)104
52	E.16566	31.5	28.0	60	C	40.0	29.0	69	B	33.0	35.0	68	B	40.5	35.0	76	B	36.5	42.0	79	B	25.0	32.0	57	C	2.6	SUPPL(JLT05)104
53	E.16567	28.0	28.0	56	C	42.5	39.0	82	A	40.5	36.5	77	B	45.0	40.5	86	A	26.5	46.0	73	B	34.0	40.0	74	B	3.1	PASS
54	E.16568	39.0	38.5	78	B	40.0	35.5	76	B	46.0	40.5	87	A	47.5	39.0	87	A	35.0	42.0	77	B	36.0	38.0	74	B	3.2	PASS

Modu	Modu	9				9				8				8				13				9				Semester G.P.A	Remarks
		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213					
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR		
55	E.16569	37.0	30.5	68	B	32.5	36.0	69	B	32.5	36.0	69	B	40.5	41.0	82	A	29.0	32.5	62	C	36.0	37.5	74	B	2.9	PASS
56	E.16570	30.0	38.0	68	B	30.0	28.0	58	C	34.0	43.0	77	B	41.0	37.5	79	B	38.5	38.0	77	B	33.0	38.5	72	B	2.8	SUPPL(JLT05)104
57	E.16571	44.5	29.0	74	B	33.0	32.0	65	B	45.0	39.5	85	A	46.5	36.0	83	A	39.5	40.0	80	A	38.0	35.0	73	B	3.5	PASS
58	E.16572	25.5	15.0	41	D	33.5	23.5	57	D	30.0	38.5	69	B	36.5	20.5	57	D	33.5	39.5	73	B	31.5	31.0	63	C	1.9	SUPPL(JLT05)104,201, 206, 211
59	E.16574	31.0	26.0	57	C	37.0	38.5	76	B	32.0	28.5	61	C	38.0	36.0	74	B	39.0	31.5	71	B	19.5	37.5	57	C	2.5	SUPPL(JLT05)102,103,104,202
60	E.16575	34.5	25.5	60	C	30.0	39.5	70	B	35.5	30.5	66	B	43.0	34.0	77	B	35.5	41.0	77	B	26.0	38.5	65	B	2.8	SUPPL(JLT05)104
61	E.16576	33.0	31.5	65	B	40.5	37.5	78	B	35.0	28.5	64	C	43.0	33.0	76	B	40.0	37.0	77	B	28.5	32.0	61	C	2.6	SUPPL(JLT05)104
62	E.16577	30.0	19.0	49	D	39.5	22.0	62	D	38.5	39.5	78	B	41.0	36.0	77	B	31.5	38.5	70	B	35.0	35.5	71	B	2.3	SUPPL(JLT05)104,201,206
63	E.16578	23.5	11.5	35	F	33.0	25.0	58	C	33.5	28.5	62	C	34.5	12.0	47	D	25.0	29.0	54	C	18.0	25.5	44	D	1.3	DISCO
64	E.16579	38.5	38.5	77	B	44.0	40.5	85	A	49.0	42.5	92	A	49.0	45.0	94	A	40.0	32.5	73	B	43.0	43.0	86	A	3.6	PASS
65	E.16580	33.5	34.0	68	B	36.0	31.5	68	B	43.5	40.5	84	A	41.0	31.0	72	B	37.0	39.0	76	B	30.0	31.5	62	C	2.9	SUPPL(JLT05)102
66	E.16581	22.0	17.5	40	D	36.5	25.0	62	C	35.5	29.5	65	B	29.0	19.5	49	D	33.5	31.0	65	B	31.0	31.0	62	C	2.0	SUPPL(JLT05)103,104,201,211
67	E.16582	28.5	32.0	61	C	36.0	26.5	63	C	44.0	37.5	82	A	43.0	36.0	79	B	40.0	31.5	72	B	30.5	40.0	71	B	2.8	PASS
68	E.16584	34.0	20.0	54	D	30.0	25.0	55	C	38.5	41.0	80	A	44.0	27.0	71	B	38.0	42.5	81	A	33.0	33.0	66	B	2.8	SUPPL(JLT05)104,202,201
69	E.16585	28.5	28.5	57	C	35.0	38.5	74	B	29.5	29.0	59	C	37.0	22.5	60	D	28.0	38.0	66	B	27.0	32.0	59	C	2.2	SUPPL(JLT05)101,104,105,211
70	E.16586	30.5	33.0	64	C	36.5	23.0	60	D	33.0	35.0	68	B	44.5	30.5	75	B	33.0	30.0	63	C	35.5	36.0	72	B	2.2	SUPPL(JLT05)104,202,206
71	E.16587	34.5	32.5	67	B	31.0	28.5	60	C	30.5	31.5	62	C	34.5	30.5	65	B	29.0	39.5	69	B	32.0	34.0	66	B	2.6	PASS
72	E.16588	26.0	25.0	51	C	31.0	25.0	56	C	34.5	37.0	72	B	39.0	26.0	65	B	32.0	33.5	66	B	25.5	29.0	55	C	2.5	SUPPL(JLT05)104
73	E.16589	30.5	35.5	66	B	35.5	35.0	71	B	39.5	37.5	77	B	44.0	39.0	83	A	39.5	32.0	72	B	28.5	38.0	67	B	3.1	PASS
74	E.16592	31.5	28.5	60	C	36.5	33.5	70	B	39.0	31.5	71	B	43.0	38.0	81	A	36.0	37.0	73	B	32.0	40.5	73	B	2.9	PASS
75	E.16593	29.5	30.0	60	C	39.0	33.5	73	B	37.5	40.0	78	B	38.0	31.5	70	B	35.0	44.0	79	B	37.0	28.0	65	B	2.8	SUPPL(JLT05)105
76	E.16594	38.5	35.0	74	B	41.5	35.0	77	B	40.0	37.0	77	B	43.0	38.5	82	A	44.0	39.5	84	A	30.5	32.5	63	C	3.2	PASS
77	E.16595	35.0	28.0	63	C	31.5	35.0	67	B	33.0	38.0	71	B	43.0	32.5	76	B	34.5	39.0	74	B	35.0	29.5	65	B	2.8	PASS
78	E.16597	12.0	0.0	12	F	0.0	0.0	0	F	37.0	0.0	37	F	12.0	0.0	12	F	8.5	0.0	9	F	0.0	0.0	0	F	0.0	DISMISSAL
79	E.16598	31.0	32.5	64	C	32.0	42.5	75	B	35.5	34.0	70	B	48.0	32.5	81	A	39.5	38.5	78	B	21.0	31.5	53	C	2.8	PASS
80	E.16599	36.5	25.0	62	C	35.0	16.5	52	D	38.0	31.0	69	B	41.0	39.0	80	A	32.0	43.5	76	B	33.0	28.5	62	C	2.5	SUPPL(JLT05)206
81	E.165100	23.0	25.5	49	D	15.5	29.0	45	D	29.0	27.0	56	C	41.0	28.0	69	B	35.5	27.0	63	C	20.5	25.0	46	D	1.6	SUPPL(JLT05) 104, 201, 206, 213
82	E.165101	30.0	18.0	48	D	30.0	25.0	55	C	40.0	34.5	75	B	41.0	25.0	66	B	37.5	33.5	71	B	24.5	27.5	52	C	2.3	SUPPL (JLT05) 201
83	E.165102	28.5	30.5	59	C	38.0	26.5	65	B	33.0	35.0	68	B	43.5	36.5	80	A	32.5	26.5	59	C	33.0	36.0	69	B	2.7	SUPPL(JLT05)104, 212
84	E.165103	32.5	30.0	63	C	27.5	29.0	57	C	38.0	26.0	64	C	43.0	36.5	80	A	24.5	27.0	52	C	25.0	30.5	56	C	2.2	PASS
85	E.165104	19.0	26.0	45	D	36.0	32.0	68	B	31.0	33.5	65	B	33.0	27.0	60	C	32.5	29.0	62	C	26.5	27.0	54	C	2.1	SUPPL(JLT05)104,201
86	E.165105	38.5	31.0	70	B	32.5	38.0	71	B	38.0	36.5	75	B	43.0	35.0	78	B	33.5	44.0	78	B	29.5	29.5	59	C	2.8	PASS
87	E.165106	38.0	29.0	67	B	39.0	27.0	66	B	41.5	37.5	79	B	41.0	30.0	71	B	37.5	38.5	76	B	34.0	44.0	78	B	3.0	PASS
88	E.165108	36.0	35.0	71	B	30.0	34.0	64	C	36.0	40.5	77	B	43.0	41.5	85	A	40.0	34.5	75	B	32.0	37.0	69	B	2.9	PASS
89	E.165109	36.5	27.0	64	C	33.5	23.0	57	D	41.5	32.0	74	B	45.0	27.0	72	B	40.5	33.0	74	B	30.0	37.5	68	B	2.5	SUPPL(JLT05) 206
90	E.165110	37.5	28.0	66	B	27.5	39.0	67	B	33.0	35.5	69	B	42.0	38.0	80	A	32.0	40.5	73	B	25.5	32.5	58	C	2.9	PASS

Modu	Modu	9				9				8				8				13				9				Semester G.P.A	Remarks
		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213					
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR		
91	E.165111	35.0	33.5	69	B	38.0	39.0	77	B	43.0	32.0	75	B	45.0	40.0	85	A	40.5	42.5	83	A	43.0	40.0	83	A	3.5	PASS
92	E.165113	32.5	25.0	58	C	28.5	32.5	61	C	34.5	30.5	65	B	27.5	24.0	52	D	37.0	29.0	66	B	33.5	38.0	72	B	2.3	SUPPL(JLT05) 211
93	E.165114	36.5	19.0	56	D	30.0	34.0	64	C	36.0	36.5	73	B	33.0	20.5	54	D	30.0	34.0	64	C	23.5	21.5	45	D	1.6	SUPPL(JLT05)201,211,213
94	E.165115	24.0	29.0	53	C	22.5	28.0	51	C	34.0	29.0	63	C	32.5	25.5	58	C	30.5	26.0	57	C	25.0	31.5	57	C	2.0	SUPPL(JLT05)101,102,104
95	E.165116	39.0	35.0	74	B	41.0	36.5	78	B	46.0	37.5	84	A	44.0	39.0	83	A	34.0	42.5	77	B	33.5	41.5	75	B	3.2	PASS
96	E.165117	32.5	33.5	66	B	27.5	29.0	57	C	39.5	40.0	80	A	42.0	34.5	77	B	39.5	41.0	81	A	24.0	33.0	57	C	3.0	SUPPL(JLT05)101
97	E.165121	18.5	25.5	44	D	21.5	26.5	48	D	29.5	18.0	48	D	33.0	17.5	51	D	30.0	22.0	52	D	23.5	20.5	44	D	1.0	DISCO
98	E.165122	26.0	25.0	51	C	23.5	20.0	44	D	31.5	28.0	60	C	38.0	15.5	54	D	35.5	26.0	62	C	26.0	33.5	60	C	1.6	SUPPL (JLT05)206,211
99	E.165123	28.0	0.0	28	F	20.0	0.0	20	F	25.0	0.0	25	F	39.0	0.0	39	F	27.5	0.0	28	F	25.5	0.0	26	F	0.0	POSTPONED
100	E.165124	24.5	14.0	39	F	24.5	33.0	58	C	32.5	29.5	62	C	41.5	26.0	68	B	38.0	30.5	69	B	34.0	27.5	62	C	2.0	SUPPL(JLT05)104,105,201
101	E.165126	43.0	37.5	81	A	34.0	38.0	72	B	43.0	41.5	85	A	46.0	44.0	90	A	40.0	42.5	83	A	39.0	40.0	79	B	3.6	SUPPL(JLT05)105
102	E.165127	32.0	38.0	70	B	34.0	31.0	65	B	36.5	35.5	72	B	43.0	30.5	74	B	36.0	33.5	70	B	32.5	36.5	69	B	3.0	SUPPL(JLT05)101,104
103	E.165129	36.0	33.5	70	B	32.5	41.0	74	B	45.5	39.0	85	A	46.0	37.0	83	A	34.5	42.5	77	B	39.5	44.5	84	A	3.4	PASS
104	E.165130	35.0	33.5	69	B	35.0	25.5	61	C	40.5	39.5	80	A	45.0	38.5	84	A	39.5	35.5	75	B	34.5	40.5	75	B	3.1	PASS
105	E.165134	31.0	28.0	59	C	27.0	19.0	46	D	36.5	39.0	76	B	43.0	30.5	74	B	36.5	34.0	71	B	23.5	35.0	59	C	2.3	SUPPL(JLT05)104,202,206
106	E.165136	27.5	28.5	56	C	34.0	21.0	55	D	33.5	34.5	68	B	44.0	37.5	82	A	32.5	33.5	66	B	36.5	26.5	63	C	2.5	SUPPL(JLT05)206
107	E.165137	22.5	17.0	40	D	15.0	25.5	41	D	29.0	34.5	64	C	31.0	20.0	51	D	28.0	33.5	62	C	24.5	34.0	59	C	1.5	SUPPL(JLT05)104,202,201,206,211
108	E.165138	33.5	36.5	70	B	39.0	38.5	78	B	42.0	38.5	81	A	47.0	39.0	86	A	38.5	36.5	75	B	36.0	34.0	70	B	3.2	PASS
109	E.165139	25.5	33.0	59	C	35.5	25.0	61	C	31.0	30.5	62	C	41.5	34.0	76	B	41.0	33.5	75	B	35.0	32.0	67	B	2.5	SUPPL(JLT05)104,105,202
110	E.165140	18.5	32.5	51	C	28.0	26.0	54	C	28.5	30.5	59	C	35.5	30.5	66	B	31.0	38.0	69	B	24.5	38.5	63	C	2.3	SUPPL(JLT05)101,104
111	E.165142	27.5	25.0	53	C	34.0	21.0	55	D	34.5	40.5	75	B	36.0	35.5	72	B	34.0	25.0	59	C	33.0	33.0	66	B	2.2	SUPPL(JLT05)104,105,206
112	E.165143	37.5	27.5	65	B	40.0	31.5	72	B	44.5	42.5	87	A	42.0	37.0	79	B	41.5	45.0	87	A	36.0	36.5	73	B	3.3	PASS
113	E.165144	29.0	12.0	41	D	36.5	25.0	62	C	30.5	28.5	59	C	41.0	33.0	74	B	34.0	41.0	75	B	23.0	32.0	55	C	2.2	SUPPL(JLT05)201
114	E.165145	26.0	19.0	45	D	27.5	31.0	59	C	43.0	38.5	82	A	37.5	15.0	53	D	37.5	37.0	75	B	29.0	39.5	69	B	2.3	SUPPL(JLT05)201,211,213
115	E.165146	27.5	20.0	48	D	34.0	26.5	61	C	35.0	33.0	68	B	46.0	32.5	79	B	32.5	43.5	76	B	30.5	43.0	74	B	2.5	SUPPL(JLT05)202,201
116	E.165148	30.0	30.5	61	C	34.0	31.0	65	B	37.0	34.0	71	B	43.5	37.5	81	A	37.0	35.5	73	B	28.0	37.0	65	B	2.9	SUPPL(JLT05)104
117	E.165149	36.5	25.0	62	C	43.0	39.0	82	A	34.0	39.0	73	B	40.5	36.0	77	B	39.0	39.5	79	B	32.0	36.0	68	B	3.0	SUPPL(JLT05)104,202
118	E.165150	30.0	25.0	55	C	25.5	25.5	51	C	27.5	32.0	60	C	38.5	25.0	64	C	33.0	28.5	62	C	20.0	34.5	55	C	2.0	PASS
119	E.165151	32.5	27.0	60	C	42.5	33.0	76	B	36.5	34.0	71	B	46.0	34.0	80	A	36.0	43.0	79	B	25.5	29.0	55	C	2.8	SUPPL(JLT05)104
120	E.165152	34.0	25.5	60	C	34.0	28.0	62	C	37.0	32.5	70	B	39.5	38.5	78	B	32.0	34.0	66	B	21.0	39.5	61	C	2.5	SUPPL(JLT05)202
121	E.165154	39.5	26.0	66	B	33.5	26.5	60	C	37.0	37.0	74	B	39.5	26.5	66	B	35.0	39.5	75	B	32.0	30.0	62	C	2.6	SUPPL(JLT05)101
122	E.165155	25.5	38.0	64	C	39.0	20.5	60	D	40.5	35.0	76	B	42.5	23.0	66	D	40.5	31.0	72	B	28.5	34.5	63	C	2.0	SUPPL(JLT05)206,211
123	E.165157	34.5	32.5	67	B	35.0	30.5	66	B	34.0	35.5	70	B	43.0	30.0	73	B	39.5	43.0	83	A	35.0	31.5	67	B	3.2	SUPPL(JLT05)102
124	E.165158	36.0	30.0	66	B	33.0	33.5	67	B	41.5	38.5	80	A	44.5	38.0	83	A	35.5	39.5	75	B	33.0	34.5	68	B	3.2	PASS
125	E.165159	21.5	18.0	40	D	24.0	13.0	37	F	24.5	31.0	56	C	40.5	23.0	64	D	29.5	30.0	60	C	18.5	33.5	52	C	1.3	DISCO
126	E.165161	13.5	11.5	25	F	23.5	25.0	49	D	31.0	28.0	59	C	41.0	25.0	66	B	29.0	27.5	57	C	27.0	25.5	53	C	1.6	SUPPL(JLT05)101,104,105,201,206

Modu	Exam Number	9				9				8				8				13				9				Semester G.P.A	Remarks	
		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213						
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR			CA
127	E.165162	30.5	29.0	60	C	32.5	38.0	71	B	43.0	40.5	84	A	44.0	35.5	80	A	34.0	34.0	68	B	30.5	29.0	60	C	2.9	PASS	
128	E.165163	36.0	32.5	69	B	35.0	29.0	64	C	28.5	35.0	64	C	45.5	26.5	72	B	34.0	25.5	60	C	34.5	34.0	69	B	2.4	SUPPL(JLT05)104	
129	E.165166	30.0	0.0	30	F	30.0	0.0	30	F	40.0	0.0	40	D	34.0	0.0	34	F	26.5	0.0	27	F	0.0	0.0	0	F	0.1	POSTPONED	
130	E.165167	27.0	25.0	52	C	36.0	38.0	74	B	40.5	33.0	74	B	39.0	26.0	65	B	36.0	28.5	65	C	34.0	33.0	67	B	2.6	SUPPL(JLT05)102,104,202	
131	E.165168	31.0	31.0	62	C	39.0	18.0	57	D	37.5	43.0	81	A	38.0	36.5	75	B	33.0	33.0	66	B	37.5	36.0	74	B	2.6	SUPPL(JLT05)102,206	
132	E.165169	26.0	26.0	52	C	33.5	38.0	72	B	34.0	32.0	66	B	39.0	33.5	73	B	35.5	38.5	74	B	35.5	31.5	67	B	2.8	SUPPL(JLT05)102,104,105	
133	E.165171	24.0	26.0	50	C	22.0	25.5	48	D	31.5	34.5	66	B	37.0	29.5	67	B	32.0	34.5	67	B	38.0	26.5	65	B	2.5	SUPPL(JLT05)102,202,206	
134	E.165172	29.0	28.5	58	C	38.0	40.0	78	B	35.5	34.0	70	B	45.5	36.5	82	A	37.0	40.0	77	B	30.5	48.5	79	B	2.9	SUPPL(JLT05)102,202	
135	E.165173	27.5	25.5	53	C	39.0	25.0	64	C	32.5	33.5	66	B	34.0	25.0	59	C	34.0	28.0	62	C	35.5	34.0	70	B	2.3	SUPPL(JLT05)104	
136	E.165174	29.5	26.5	56	C	37.5	29.0	67	B	28.5	34.0	63	C	37.0	33.5	71	B	36.5	40.0	77	B	34.5	35.0	70	B	2.6	PASS	
137	E.165175	43.5	38.0	82	A	39.5	30.5	70	B	45.0	42.0	87	A	46.0	41.0	87	A	38.0	46.0	84	A	37.5	49.0	87	A	3.8	PASS	
138	E.165177	30.5	27.0	58	C	24.0	33.5	58	C	32.5	31.0	64	C	37.0	22.5	60	D	36.0	40.0	76	B	27.0	29.0	56	C	2.0	SUPPL(JLT05)101,211	
139	E.165178	30.5	29.0	60	C	26.0	18.0	44	D	36.0	26.0	62	C	41.0	21.0	62	D	35.0	23.0	58	D	24.0	25.5	50	C	1.4	SUPPL(JLT05)101,102,104,206,211,212	
140	E.165179	20.0	0.0	20	F	23.0	0.0	23	F	31.5	0.0	32	F	28.0	0.0	28	F	0.0	0.0	0	F	27.5	0.0	28	F	0.0	POSTPONED	
141	E.165180	31.0	28.5	60	C	33.5	37.5	71	B	32.5	39.0	72	B	42.5	38.0	81	A	35.0	36.5	72	B	34.5	27.0	62	C	2.8	PASS	
142	E.165181	16.0	19.5	36	F	39.5	27.5	67	B	30.0	26.5	57	C	41.0	20.5	62	D	32.5	37.5	70	B	35.0	31.0	66	B	2.0	SUPPL(JLT05)101,104,105,201,211	
143	E.165182	35.0	26.0	61	C	40.0	19.0	59	D	38.5	35.0	74	B	45.0	36.0	81	A	39.0	36.0	75	B	26.0	31.0	57	C	2.5	SUPPL(JLT05)206	
144	E.165183	16.0	0.0	16	F	7.0	0.0	7	F	7.0	0.0	7	F	11.0	0.0	11	F	16.0	0.0	16	F	9.0	0.0	9	F	0.0	POSTPONED	
145	E.165185	38.0	34.5	73	B	33.5	35.0	69	B	38.0	30.0	68	B	36.5	38.5	75	B	37.0	40.0	77	B	38.0	34.5	73	B	3.0	PASS	
146	E.165186	26.5	17.0	44	D	22.0	26.5	49	D	22.5	31.5	54	C	48.0	26.0	74	B	35.0	30.5	66	B	25.0	30.0	55	C	2.0	SUPPL(JLT05)103,104,201,206	
147	E.165187	33.5	29.5	63	C	35.0	25.5	61	C	34.0	30.5	65	B	45.5	33.0	79	B	32.5	33.5	66	B	27.5	34.5	62	C	2.5	SUPPL(JLT05)202	
148	E.165188	36.5	25.0	62	C	27.5	32.0	60	C	42.5	36.5	79	B	42.0	32.5	75	B	36.5	42.5	79	B	40.0	40.5	81	A	2.8	PASS	
149	E.165189	34.0	30.5	65	B	40.0	29.5	70	B	32.5	27.5	60	C	38.5	40.0	79	B	30.5	37.0	68	B	34.0	34.5	69	B	2.8	PASS	
150	E.165190	31.5	18.5	50	D	36.0	25.5	62	C	36.0	38.0	74	B	44.0	44.5	89	A	36.5	35.0	72	B	32.0	25.0	57	C	2.5	SUPPL(JLT05)201	
151	E.165191	24.0	31.5	56	C	32.0	25.0	57	C	30.0	35.5	66	B	37.0	36.5	74	B	35.0	38.0	73	B	31.0	31.5	63	C	2.5	PASS	
152	E.165192	39.5	25.5	65	B	43.5	31.5	75	B	33.0	35.5	69	B	45.0	38.5	84	A	28.0	40.5	69	B	34.5	35.0	70	B	3.1	SUPPL(JLT05)104,202	
153	E.165194	28.5	28.0	57	C	36.5	30.0	67	B	32.5	34.0	67	B	38.0	27.5	66	B	38.5	38.0	77	B	26.0	31.5	58	C	2.6	SUPPL(JLT05)101,102,104,	
154	E.165195	20.5	33.5	54	C	40.5	26.5	67	B	36.5	32.5	69	B	34.0	23.0	57	D	30.5	42.5	73	B	33.0	27.5	61	C	2.3	SUPPL(JLT05)102,104,105,211	
155	E.165197	44.0	38.0	82	A	41.0	36.0	77	B	37.0	40.5	78	B	42.0	40.0	82	A	38.0	47.5	86	A	37.5	46.0	84	A	3.6	PASS	
156	E.165198	31.0	26.5	58	C	41.0	31.5	73	B	39.5	42.0	82	A	48.5	42.0	91	A	40.0	47.5	88	A	37.0	38.5	76	B	3.3	PASS	
157	E.165199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ABSCOND/DISCO
158	E.165200	32.5	32.5	65	B	38.5	41.0	80	A	35.5	38.5	74	B	48.5	37.5	86	A	41.0	43.0	84	A	33.0	41.0	74	B	3.5	PASS	
159	E.165201	32.5	32.0	65	B	38.5	38.0	77	B	37.0	39.5	77	B	42.0	38.0	80	A	37.0	48.0	85	A	36.0	39.5	76	B	3.3	SUPPL(JLT05)102	
160	E.165203	28.5	18.0	47	D	28.5	25.0	54	C	34.5	26.0	61	C	39.0	31.0	70	B	32.0	29.0	61	C	20.5	28.5	49	D	1.8	SUPPL(JLT05)201,213	
161	E.165204	30.0	23.5	54	D	26.5	26.5	53	C	34.5	30.0	65	B	42.0	30.5	73	B	36.0	37.0	73	B	35.5	29.0	65	B	2.5	SUPPL(JLT05)104,201	
162	E.165205	39.5	32.0	72	B	36.0	44.0	80	A	36.5	38.5	75	B	39.0	41.0	80	A	37.0	44.5	82	A	33.0	41.5	75	B	3.5	PASS	
163	E.165206	22.5	25.0	48	D	36.0	29.0	65	B	33.0	33.0	66	B	40.0	38.5	79	B	38.0	40.0	78	B	21.5	33.0	55	C	2.5	SUPPL(JLT05)202,201	
164	E.165207	41.0	31.0	72	B	35.5	41.0	77	B	39.5	37.0	77	B	41.5	40.5	82	A	35.0	39.0	74	B	35.0	40.5	76	B	3.1	PASS	

Modu		9				9				8				8				13				9				Semester G.P.A	Remarks
Modu		JLT05201				JLT05206				JLT05207				JLT05211				JLT05212				JLT05213					
		CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR	CA	SE	TT	GR		
S/N	Exam Number																										
165	E.165208	32.0	31.0	63	C	37.5	39.5	77	B	40.5	35.5	76	B	48.0	32.5	81	A	35.0	45.5	81	A	35.5	42.0	78	B	3.2	PASS
166	E.165209	33.0	26.5	60	C	36.5	39.0	76	B	40.5	43.0	84	A	39.5	32.5	72	B	32.0	42.0	74	B	37.0	35.5	73	B	2.9	PASS
167	E.165210	28.0	30.0	58	C	36.5	33.0	70	B	38.5	35.0	74	B	43.5	30.0	74	B	39.5	32.5	72	B	26.5	35.5	62	C	2.6	PASS
168	E.165211	31.5	26.5	58	C	33.5	39.0	73	B	39.0	39.5	79	B	39.0	27.0	66	B	37.0	39.0	76	B	32.5	36.5	69	B	2.8	SUPPL(JLT05)202
169	E.165212	31.5	23.5	55	D	32.0	30.0	62	C	37.0	33.0	70	B	40.0	22.5	63	D	33.0	29.5	63	C	26.0	41.5	68	B	2.0	SUPPL(JLT05)101,104,201,211
170	E.165213	19.5	26.0	46	D	36.5	34.0	71	B	39.0	39.5	79	B	47.0	37.0	84	A	33.0	42.5	76	B	30.5	34.5	65	B	2.8	SUPPL(JLT05)201
171	E.165215	16.0	27.5	44	D	38.5	20.0	59	D	29.0	31.0	60	C	41.0	16.0	57	D	32.5	30.5	63	C	22.0	35.5	58	C	1.5	SUPPL(JLT05)104,105,201,206211
172	E.165216	19.0	36.0	55	C	37.0	25.0	62	C	37.5	33.5	71	B	44.5	37.0	82	D	29.0	41.0	70	B	24.0	37.5	62	C	2.2	PASS
173	E.165217	32.0	27.0	59	C	35.5	30.0	66	B	37.0	39.0	76	B	46.5	34.5	81	A	37.0	35.0	72	B	34.0	31.5	66	B	2.9	PASS
174	E.165218	25.5	25.0	51	C	31.0	29.5	61	C	31.5	25.5	57	C	31.0	27.5	59	C	31.5	33.5	65	B	11.0	32.5	44	D	2.0	SUPPL(JLT05)101,102,104, 213
175	E.165219	33.0	28.5	62	C	44.0	38.0	82	A	41.0	39.0	80	A	47.0	38.5	86	A	39.5	40.0	80	A	43.0	45.5	89	A	3.6	PASS
176	E.165220	41.0	35.0	76	B	44.0	32.5	77	B	46.5	41.0	88	A	48.0	40.0	88	A	36.0	42.0	78	B	45.0	45.0	90	A	3.4	PASS
MMA		134				144				168				151				166				160					
PER		36				26				2				19				4				10					
MODU		4				4				4				4				4				4					
		1				1				1				1				1				1					
		175				175				175				175				175				175					

L













