

INSTITUTE OF JUDICIAL ADMINISTRATION - LUSHOTO
DEPARTMENT OF JUDICIAL AND LEGAL STUDIES -JLS
Overall Detailed of Results

NTA Level: 4 - Field of study: Law

Key:

JLT04205 - Basic Computer Applications

JLT04206 - Basic Communications Skills II

JLT04208 - Basic Records Management II

JLT04212 - Introduction to Family, Customary & Islamic Law

JLT04213 - Introduction to Law of Contract

JLT04214 - Introduction to Development Studies

JLT04210 - Field Attachment

CA - Course Assessment, SE - Semester Examination, TS - Total Score, GR - Grade, GPA - Grade Point Average

Year of Study: 2016 / 2017 Semester: II Weight : CA 50% SE 50%

PASS: 87 SUPPL: 73 POSTPONED: 0 DISCO: 0

Mod	Mod	10				7				8				9				8				6				12				Semester G.P.A	Remarks
		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210					
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
S/N	Exam Number																														
1	E.16401	25.0	25.0	50	C	32.5	26.0	59	C	42.5	29.5	72	B	34.5	26.5	61	C	27.5	27.5	55	C	28.5	24.0	53	D	17.0	50.0	67	B	2.2	SUPPL(JLT04)107,111,214
2	E.16402	30.5	39.0	70	B	37.5	30.5	68	B	42.0	43.5	86	A	38.0	37.5	76	B	28.5	37.5	66	B	31.0	30.5	62	C	20.0	60.0	80	A	3.2	PASS
3	E.16403	35.0	27.0	62	C	35.5	26.0	62	C	25.0	22.0	47	D	23.5	26.5	50	C	16.0	26.0	42	D	28.0	25.5	54	C	19.0	64.0	83	A	2.1	SUPPL(JLT04)104,107,111,208,213
4	E.16404	32.5	27.0	60	C	37.5	34.0	72	B	43.5	39.5	83	A	40.0	40.5	81	A	45.0	43.0	88	A	33.0	36.5	70	B	20.0	70.0	90	A	3.4	PASS
5	E.16405	28.5	27.5	56	C	34.0	25.5	60	C	34.5	37.0	72	B	21.5	32.5	54	C	25.0	35.5	61	C	32.5	29.0	62	C	19.0	64.0	83	A	2.5	SUPPL(JLT04)104,107,111,
6	E.16406	25.0	21.5	47	D	36.0	28.0	64	C	31.5	33.5	65	B	33.5	18.5	52	D	29.5	13.5	43	D	31.0	28.0	59	C	19.0	50.0	69	B	1.8	SUPPL(JLT04)102,107,205,212, 213
7	E.16408	26.5	37.0	64	C	37.5	29.0	67	B	39.0	39.0	78	B	33.0	35.0	68	B	31.0	42.0	73	B	30.0	39.0	69	B	19.0	38.0	57	C	2.6	PASS
8	E.16409	29.5	29.5	59	C	35.0	28.5	64	C	35.5	35.0	71	B	32.5	35.0	68	B	35.0	34.0	69	B	30.5	37.0	68	B	17.0	62.0	79	B	2.7	PASS
9	E.16410	25.0	18.5	44	D	39.5	30.5	70	B	35.5	41.0	77	B	29.5	27.0	57	C	13.0	17.0	30	F	35.0	31.0	66	B	20.0	65.0	85	A	2.3	SUPPL(JLT04)104,107,205,213
10	E.16411	26.0	33.5	60	C	40.0	37.5	78	B	39.0	41.5	81	A	37.0	31.0	68	B	40.0	34.5	75	B	33.0	40.5	74	B	20.0	65.0	85	A	3.1	PASS
11	E.16412	27.0	23.0	50	D	36.5	29.0	66	B	24.0	26.0	50	C	29.0	25.0	54	C	32.5	25.0	58	C	28.5	35.0	64	C	20.0	50.0	70	B	2.1	SUPPL(JLT04)102,103,107,111,205
12	E.16413	30.0	38.0	68	B	41.5	28.0	70	B	39.5	46.0	86	A	35.5	34.5	70	B	36.0	41.5	78	B	31.0	36.0	67	B	20.0	68.0	88	A	3.3	PASS
13	E.16414	25.0	22.5	48	D	40.0	30.0	70	B	34.0	33.0	67	B	21.0	30.5	52	C	25.0	26.5	52	C	30.5	38.5	69	B	20.0	69.0	89	A	2.5	SUPPL(JLT04)102,103,109,205
14	E.16416	25.0	32.5	58	C	32.0	30.5	63	C	34.5	38.5	73	B	30.0	39.5	70	B	33.5	29.0	63	C	29.5	35.0	65	B	16.0	60.0	76	B	2.5	SUPPL(JLT04)107
15	E.16417	30.5	27.0	58	C	42.0	29.0	71	B	40.0	36.5	77	B	34.0	39.0	73	B	32.5	41.0	74	B	33.5	40.0	74	B	19.0	67.0	86	A	3.0	PASS
16	E.16418	35.0	38.5	74	B	40.0	35.0	75	B	34.5	43.0	78	B	34.0	37.5	72	B	19.0	32.0	51	C	31.0	38.5	70	B	20.0	70.0	90	A	3.0	PASS
17	E.16419	25.0	22.5	48	D	36.0	29.0	65	B	32.0	38.0	70	B	31.5	33.5	65	B	31.5	30.0	62	C	31.5	30.0	62	C	20.0	55.0	75	B	2.4	SUPPL(JLT04)103,205

Mod		10				7				8				9				8				6				12				Semester G.P.A	Remarks		
Mod		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210							
S/N	Exam Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR
18	E.16420	27.5	26.0	54	C	41.0	32.0	73	B	28.5	39.5	68	B	28.5	39.5	68	B	36.0	32.5	69	B	33.0	44.0	77	B	15.0	64.0	79	B	2.8	POSTPONE(JLT04)102, 104		
19	E.16421	25.0	16.0	41	D	33.5	27.0	61	C	21.0	28.0	49	D	34.0	31.0	65	B	27.5	13.5	41	D	29.5	27.0	57	C	18.0	59.0	77	B	1.9	SUPPL(JLT04)103,107,111,205,208,213		
20	E.16422	28.0	27.5	56	C	38.0	25.5	64	C	32.0	35.0	67	B	31.5	29.0	61	C	29.5	33.5	63	C	28.0	33.0	61	C	19.0	65.0	84	A	2.5	PASS		
21	E.16423	30.0	34.5	65	B	29.5	28.0	58	C	15.5	7.5	23	F	31.0	18.5	50	D	30.0	14.0	44	D	27.0	28.0	55	C	17.0	73.0	90	A	2.0	SUPPL(JLT04)102,104,107,109,111,208,212,213		
22	E.16424	25.0	22.5	48	D	34.0	33.5	68	B	32.5	40.0	73	B	34.5	31.5	66	B	31.5	25.5	57	C	28.0	30.0	58	C	17.0	50.0	67	B	2.4	SUPPL(JLT04)102,205		
23	E.16425	32.0	37.5	70	B	28.0	30.0	58	C	34.0	37.5	72	B	30.0	33.5	64	C	23.0	32.0	55	C	31.0	28.5	60	C	18.0	63.0	81	A	2.7	SUPPL(JLT04)111		
24	E.16426	27.0	32.0	59	C	36.0	27.0	63	C	30.0	37.0	67	B	26.0	33.5	60	C	29.5	38.0	68	B	28.0	36.0	64	C	17.0	45.0	62	C	2.2	PASS		
25	E.16427	25.0	27.0	52	C	37.0	33.5	71	B	40.0	44.0	84	A	35.5	32.0	68	B	33.0	38.5	72	B	28.0	29.5	58	C	20.0	62.0	82	A	3.0	PASS		
26	E.16428	25.5	18.5	44	D	29.0	25.0	54	C	33.0	32.0	65	B	30.5	34.0	65	B	27.0	31.5	59	C	29.0	34.5	64	C	18.0	61.0	79	B	2.3	SUPPL(JLT04)104,205		
27	E.16429	25.0	30.0	55	C	37.0	28.0	65	B	36.0	39.5	76	B	38.0	39.0	77	B	27.5	38.5	66	B	34.0	33.5	68	B	20.0	40.0	60	C	2.6	SUPPL(JLT04)104		
28	E.16430	27.5	33.0	61	C	42.5	40.0	83	A	35.0	45.5	81	A	39.0	30.5	70	B	41.0	34.0	75	B	31.0	41.5	73	B	20.0	65.0	85	A	3.2	PASS		
29	E.16431	29.0	27.0	56	C	39.0	32.0	71	B	28.5	44.5	73	B	36.0	40.0	76	B	35.0	31.0	66	B	30.0	33.0	63	C	20.0	70.0	90	A	2.9	SUPPL(JLT04)107		
30	E.16432	28.5	27.0	56	C	37.5	31.0	69	B	33.0	30.0	63	C	38.5	32.0	71	B	23.5	33.0	57	C	30.5	34.0	65	B	18.0	50.0	68	B	2.5	SUPPL(JLT04)102,107		
31	E.16433	38.5	43.0	82	A	43.0	30.5	74	B	36.5	36.5	73	B	37.5	33.5	71	B	30.5	29.0	60	C	29.5	39.0	69	B	19.0	69.0	88	A	3.2	PASS		
32	E.16434	27.5	37.5	65	B	44.5	44.5	89	A	40.0	43.5	84	A	41.0	41.0	82	A	34.0	27.5	62	C	32.5	35.5	68	B	18.0	45.0	63	C	3.0	PASS		
33	E.16435	25.0	21.5	47	D	40.5	29.5	70	B	36.5	42.0	79	B	26.5	30.5	57	C	35.0	26.5	62	C	30.0	31.5	62	C	20.0	65.0	85	A	2.4	SUPPL(JLT04)102,107,109,205		
34	E.16436	31.0	37.5	69	B	33.0	30.0	63	C	36.5	41.0	78	B	33.0	30.0	63	C	44.0	34.5	79	B	32.0	36.0	68	B	17.0	70.0	87	A	2.9	PASS		
35	E.16437	25.0	37.5	63	C	38.5	30.0	69	B	27.0	36.5	64	C	30.5	40.0	71	B	32.0	27.0	59	C	35.0	35.5	71	B	20.0	72.0	92	A	2.7	SUPPL(JLT04)109		
36	E.16438	25.5	28.0	54	C	41.0	32.5	74	B	37.5	42.0	80	A	34.5	38.5	73	B	39.5	38.0	78	B	30.5	40.0	71	B	17.0	63.0	80	A	3.1	PASS		
37	E.16439	25.0	18.0	43	D	31.5	26.0	58	C	32.5	34.0	67	B	22.5	37.0	60	C	30.0	33.5	64	C	30.5	30.0	61	C	17.0	58.0	75	B	2.1	SUPPL(JLT04)205		
38	E.16440	30.0	28.5	59	C	37.0	26.0	63	C	36.5	41.0	78	B	27.5	31.5	59	C	31.5	30.0	62	C	32.5	33.0	66	B	20.0	70.0	90	A	2.6	PASS		
39	E.16441	26.5	23.0	50	D	37.0	36.0	73	B	33.5	41.0	75	B	38.5	38.5	77	B	36.0	46.0	82	A	30.5	34.0	65	B	20.0	70.0	90	A	3.0	SUPPL(JLT04)205		
40	E.16442	29.5	17.0	47	D	37.5	29.0	67	B	27.5	41.0	69	B	34.0	35.5	70	B	27.5	28.5	56	C	35.0	39.0	74	B	19.0	45.0	64	C	2.3	SUPPL(JLT04)107,205		
41	E.16443	33.5	31.5	65	B	42.0	33.5	76	B	40.0	40.0	80	A	39.0	37.0	76	B	36.0	26.5	63	C	32.0	42.0	74	B	18.0	70.0	88	A	3.2	PASS		
42	E.16444	31.5	17.0	49	D	37.0	29.5	67	B	32.5	35.5	68	B	42.5	25.0	68	B	31.0	38.0	69	B	32.0	28.0	60	C	19.0	70.0	89	A	2.7	SUPPL(JLT04)104,205		
43	E.16445	25.0	32.5	58	C	37.0	30.5	68	B	32.0	35.5	68	B	33.0	33.5	67	B	32.0	32.5	65	B	31.5	33.0	65	B	18.0	61.0	79	B	2.8	SUPPL(JLT04)102		
44	E.16446	25.0	22.5	48	D	37.5	42.0	80	A	30.0	29.5	60	C	37.5	38.5	76	B	36.0	37.5	74	B	33.0	35.0	68	B	20.0	67.0	87	A	2.8	SUPPL(JLT04)205		
45	E.16447	27.0	23.5	51	D	30.5	28.0	59	C	32.5	34.5	67	B	32.5	34.5	67	B	29.0	29.5	59	C	24.5	34.5	59	C	19.0	69.0	88	A	2.5	SUPPL(JLT04)102,107,205		
46	E.16448	35.0	38.0	73	B	43.0	34.0	77	B	34.5	40.5	75	B	35.5	36.5	72	B	37.5	28.5	66	B	35.0	30.0	65	B	18.0	70.0	88	A	3.2	SUPPL(JLT04)102		
47	E.16449	25.0	14.0	39	F	41.5	32.0	74	B	32.0	35.5	68	B	29.5	26.0	56	C	28.5	33.0	62	C	34.5	36.0	71	B	19.0	65.0	84	A	2.4	SUPPL(JLT04)104,107,109,205		

Mod		10				7				8				9				8				6				12				Semester G.P.A	Remarks		
Mod		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210							
S/N	Exam Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR
48	E.16450	25.0	16.5	42	D	35.5	31.5	67	B	26.0	31.5	58	C	25.5	27.0	53	C	14.0	10.5	25	F	24.5	32.5	57	C	16.0	40.0	56	C	1.6	SUPPL(JLT04)111,,205,213		
49	E.16452	41.5	43.5	85	A	48.5	38.5	87	A	46.0	44.0	90	A	42.0	39.0	81	A	38.0	39.0	77	B	32.0	35.0	67	B	19.0	68.0	87	A	3.7	PASS		
50	E.16454	36.5	27.0	64	C	41.5	35.0	77	B	38.5	42.5	81	A	38.0	40.0	78	B	33.0	32.0	65	B	31.5	42.0	74	B	18.0	62.0	80	A	3.1	PASS		
51	E.16455	25.0	13.0	38	F	31.5	28.0	60	C	29.0	39.5	69	B	42.5	31.0	74	B	30.5	29.0	60	C	26.5	33.0	60	C	20.0	50.0	70	B	2.1	SUPPL(JLT04)104,107,109,205		
52	E.16456	25.0	12.5	38	F	38.0	30.0	68	B	19.5	25.5	45	D	24.0	25.5	50	C	26.5	7.0	34	F	28.0	33.0	61	C	18.0	64.0	82	A	1.7	SUPPL(JLT04)102,104,107,111,205,208,213		
53	E.16457	28.0	37.5	66	B	41.0	31.0	72	B	24.0	38.5	63	C	34.0	27.0	61	C	32.0	38.5	71	B	29.0	32.0	61	C	20.0	78.0	98	A	2.8	SUPPL(JLT04)107		
54	E.16458	28.0	19.0	47	D	34.0	30.5	65	B	17.5	29.5	47	D	23.0	28.5	52	C	29.0	25.0	54	C	28.5	36.0	65	B	17.0	50.0	67	B	2.1	SUPPL(JLT04)102,205,208		
55	E.16459	25.0	34.5	60	C	35.5	32.5	68	B	34.0	39.5	74	B	34.5	32.0	67	B	41.0	33.0	74	B	33.0	39.0	72	B	17.0	65.0	82	A	3.0	PASS		
56	E.16460	26.0	21.5	48	D	33.0	33.5	67	B	30.5	36.5	67	B	23.5	35.0	59	C	36.5	24.0	61	D	32.0	27.0	59	C	18.0	71.0	89	A	2.3	SUPPL(JLT04)103,104,109,111,205,213		
57	E.16461	29.0	22.0	51	D	40.5	38.5	79	B	25.0	34.5	60	C	31.0	39.0	70	B	29.5	36.0	66	B	31.0	31.0	62	C	20.0	60.0	80	A	2.6	SUPPL(JLT04)107,,205		
58	E.16463	25.5	36.5	62	C	32.0	38.5	71	B	25.5	39.0	65	B	28.0	40.5	69	B	32.0	31.5	64	C	28.5	29.5	58	C	18.0	63.0	81	A	2.8	SUPPL(JLT04)111		
59	E.16464	27.5	32.0	60	C	35.0	32.0	67	B	34.5	30.5	65	B	33.0	34.5	68	B	41.5	40.0	82	A	31.0	33.0	64	C	20.0	75.0	95	A	3.0	PASS		
60	E.16465	15.0	26.0	41	D	27.0	25.0	52	C	26.5	42.0	69	B	21.0	25.0	46	D	28.5	19.5	48	D	27.5	35.0	63	C	16.0	56.0	72	B	1.8	SUPPL(JLT04)102,107,205,212,213		
61	E.16466	27.5	18.0	46	D	39.0	25.0	64	C	30.5	35.5	66	B	35.0	33.0	68	B	28.5	24.0	53	D	35.5	28.5	64	C	19.0	45.0	64	C	1.9	SUPPL(JLT04)104,107,205,213		
62	E.16467	26.5	27.0	54	C	42.0	33.5	76	B	32.5	42.0	75	B	33.5	35.0	69	B	29.5	45.0	75	B	36.0	27.5	64	C	20.0	62.0	82	A	2.9	SUPPL(JLT04)107		
63	E.16468	27.5	27.0	55	C	36.0	31.5	68	B	34.0	35.5	70	B	36.5	38.5	75	B	30.5	32.0	63	C	32.0	31.5	64	C	19.0	68.0	87	A	2.8	SUPPL(JLT04)104		
64	E.16469	27.0	38.0	65	B	40.0	35.5	76	B	35.0	40.5	76	B	31.0	40.5	72	B	31.0	43.5	75	B	32.0	40.0	72	B	17.0	60.0	77	B	3.0	PASS		
65	E.16470	34.5	36.0	71	B	39.5	29.5	69	B	36.0	41.0	77	B	39.5	40.5	80	A	41.0	42.5	84	A	32.5	36.0	69	B	19.0	48.0	67	B	3.2	PASS		
66	E.16471	25.0	25.0	50	C	32.0	33.0	65	B	31.0	38.0	69	B	26.5	21.0	48	D	26.0	25.0	51	C	27.0	36.5	64	C	20.0	49.0	69	B	2.3	SUPPL(JLT04)102,104,107,212		
67	E.16472	35.5	28.5	64	C	26.0	30.0	56	C	36.0	37.5	74	B	30.0	23.0	53	D	35.5	37.5	73	B	30.5	24.0	55	D	14.0	51.0	65	B	2.2	SUPPL(JLT04)102,104,107,111,212,214		
68	E.16473	26.0	31.0	57	C	34.0	34.0	68	B	39.0	33.5	73	B	31.0	43.0	74	B	39.5	40.0	80	A	31.0	35.0	66	B	15.0	55.0	70	B	2.9	PASS		
69	E.16476	32.5	39.5	72	B	39.5	38.5	78	B	43.0	46.5	90	A	39.0	38.5	78	B	35.5	35.0	71	B	32.0	30.5	63	C	19.0	60.0	79	B	3.0	PASS		
70	E.16477	28.5	26.5	55	C	35.5	26.5	62	C	35.5	34.0	70	B	32.5	39.0	72	B	32.5	26.0	59	C	28.5	29.5	58	C	15.0	60.0	75	B	2.4	PASS		
71	E.16478	25.0	29.0	54	C	39.0	30.5	70	B	29.5	41.5	71	B	27.5	33.5	61	C	30.0	29.5	60	C	30.5	37.0	68	B	19.0	72.0	91	A	2.7	SUPPL(JLT04)104		
72	E.16479	28.0	31.0	59	C	34.5	32.0	67	B	30.0	43.5	74	B	31.5	28.0	60	C	31.5	34.5	66	B	28.0	34.5	63	C	20.0	39.0	59	C	2.3	SUPPL(JLT04)104,107,111		
73	E.16480	27.5	33.5	61	C	37.0	28.0	65	B	25.0	35.0	60	C	36.0	36.5	73	B	43.5	32.5	76	B	29.5	30.0	60	C	18.0	61.0	79	B	2.6	PASS		
74	E.16481	27.5	27.0	55	C	37.0	27.5	65	B	26.5	29.5	56	C	26.5	38.0	65	B	27.5	34.5	62	C	31.0	23.0	54	D	17.0	65.0	82	A	2.5	SUPPL(JLT04)104,214		
75	E.16482	33.0	30.5	64	C	40.0	34.5	75	B	36.5	43.5	80	A	34.0	41.0	75	B	31.5	41.5	73	B	28.5	35.5	64	C	20.0	53.0	73	B	2.8	PASS		
76	E.16483	29.5	30.5	60	C	35.0	25.0	60	C	25.5	37.0	63	C	26.5	27.0	54	C	31.0	38.5	70	B	29.5	33.0	63	C	19.0	64.0	83	A	2.5	SUPPL(JLT04)102,103,104,107,109,111		
77	E.16484	27.0	32.5	60	C	35.5	29.5	65	B	33.5	40.0	74	B	32.0	30.0	62	C	23.5	26.5	50	C	28.0	33.0	61	C	19.0	75.0	94	A	2.6	SUPPL(JLT04)111		

Mod		10				7				8				9				8				6				12				Semester G.P.A	Remarks		
Mod		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210							
S/N	Exam Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR
78	E.16485	30.0	28.5	59	C	42.0	26.5	69	B	38.0	27.0	65	B	32.0	27.0	59	C	25.0	3.0	28	F	25.0	33.0	58	C	20.0	60.0	80	A	2.3	SUPPL(JLT04)102,109,111,213		
79	E.16486	28.0	20.5	49	D	37.0	29.5	67	B	29.5	35.0	65	B	31.0	40.5	72	B	24.5	34.5	59	C	33.5	35.0	69	B	17.0	68.0	85	A	2.7	SUPPL(JLT04)107,205		
80	E.16487	36.5	45.5	82	A	39.0	27.0	66	B	40.0	41.5	82	A	40.5	37.5	78	B	43.5	42.0	86	A	33.5	32.0	66	B	18.0	50.0	68	B	3.4	PASS		
81	E.16488	27.5	30.5	58	C	34.5	28.5	63	C	29.5	35.5	65	B	32.0	25.5	58	C	41.0	32.0	73	B	26.5	33.0	60	C	20.0	48.0	68	B	2.4	POSTPONED SEMESTER I		
82	E.16489	25.0	26.5	52	C	41.5	26.5	68	B	34.0	38.0	72	B	29.5	41.0	71	B	31.5	15.0	47	D	29.5	38.0	68	B	16.0	52.0	68	B	2.5	SUPPL(JLT04)107,213		
83	E.16490	35.0	31.5	67	B	38.5	33.0	72	B	35.0	31.5	67	B	34.5	27.5	62	C	30.0	28.0	58	C	27.0	30.0	57	C	18.0	45.0	63	C	2.4	SUPPL(JLT04)102,107		
84	E.16491	39.0	35.0	74	B	44.5	29.5	74	B	42.0	42.5	85	A	32.0	43.0	75	B	44.0	41.0	85	A	34.0	39.0	73	B	20.0	66.0	86	A	3.4	PASS		
85	E.16492	25.0	35.0	60	C	36.5	27.5	64	C	39.5	46.5	86	A	32.0	36.5	69	B	36.0	31.0	67	B	36.0	28.0	64	C	20.0	60.0	80	A	2.9	SUPPL(JLT04)107		
86	E.16493	30.0	29.0	59	C	32.0	32.0	64	C	29.0	37.5	67	B	36.0	38.0	74	B	36.5	27.5	64	C	30.0	32.0	62	C	20.0	60.0	80	A	2.6	SUPPL(JLT04)111		
87	E.16494	30.0	30.5	61	C	42.0	33.5	76	B	29.0	34.5	64	C	36.5	34.5	71	B	33.0	31.5	65	B	31.0	37.0	68	B	18.0	64.0	82	A	2.9	SUPPL(JLT04)107		
88	E.16495	34.5	26.0	61	C	43.0	32.0	75	B	31.5	46.5	78	B	34.0	37.5	72	B	41.5	33.0	75	B	29.0	29.0	58	C	18.0	52.0	70	B	2.7	SUPPL(JLT04)107		
89	E.16498	25.0	31.0	56	C	32.0	33.5	66	B	30.5	36.0	67	B	32.5	38.0	71	B	23.5	25.0	49	D	30.0	34.0	64	C	16.0	55.0	71	B	2.4	SUPPL(JLT04)213		
90	E.16499	25.0	25.0	50	C	37.5	28.0	66	B	34.0	27.5	62	C	35.5	32.0	68	B	30.5	17.0	48	D	30.5	33.0	64	C	19.0	65.0	84	A	2.5	SUPPL(JLT04)104,107,213		
91	E.164100	26.5	26.0	53	C	44.5	30.0	75	B	38.0	45.5	84	A	38.5	31.5	70	B	39.0	42.5	82	A	27.5	32.0	60	C	20.0	65.0	85	A	3.2	PASS		
92	E.164101	25.0	26.0	51	C	33.0	25.0	58	C	20.0	31.5	52	C	32.0	25.0	57	C	22.0	6.5	29	F	27.0	34.5	62	C	15.0	54.0	69	B	1.9	SUPPL(JLT04)104,111,213		
93	E.164102	25.0	27.0	52	C	36.0	32.5	69	B	35.5	45.5	81	A	31.0	35.0	66	B	26.5	25.0	52	C	29.5	38.0	68	B	20.0	63.0	83	A	3.0	PASS		
94	E.164104	32.0	22.0	54	D	32.0	28.5	61	C	25.0	37.5	63	C	29.5	38.0	68	B	38.0	26.0	64	C	25.0	36.0	61	C	19.0	65.0	84	A	2.3	SUPPL(JLT04)109,111,205		
95	E.164105	25.0	28.5	54	C	32.5	27.5	60	C	32.0	30.0	62	C	31.5	27.5	59	C	19.5	24.0	44	D	20.5	27.0	48	D	18.0	60.0	78	B	1.9	SUPPL(JLT04)104,213,214		
96	E.164107	26.5	32.0	59	C	34.5	34.5	69	B	33.5	44.5	78	B	37.5	37.5	75	B	35.5	42.0	78	B	27.5	29.5	57	C	17.0	62.0	79	B	2.7	PASS		
97	E.164108	28.0	23.0	51	D	39.0	27.5	67	B	35.5	35.5	71	B	23.5	38.0	62	C	30.0	29.0	59	C	25.5	29.5	55	C	20.0	69.0	89	A	2.4	SUPPL(JLT04)205		
98	E.164110	34.0	27.0	61	C	40.5	25.0	66	B	31.0	42.5	74	B	27.5	39.5	67	B	37.0	34.0	71	B	26.0	32.0	58	C	19.0	52.0	71	B	2.7	PASS		
99	E.164111	25.0	25.0	50	C	35.0	28.0	63	C	28.5	27.5	56	C	20.0	32.0	52	C	22.5	29.5	52	C	27.0	28.5	56	C	20.0	71.0	91	A	2.4	SUPPL(JLT04)102,107		
100	E.164112	27.0	34.5	62	C	34.5	36.5	71	B	28.5	39.5	68	B	32.5	40.0	73	B	22.5	24.0	47	D	28.5	35.0	64	C	20.0	71.0	91	A	2.6	SUPPL(JLT04)104,111,213		
101	E.164113	31.5	34.0	66	B	35.5	30.0	66	B	33.0	40.5	74	B	27.0	29.5	57	C	28.5	37.0	66	B	28.0	36.0	64	C	19.0	73.0	92	A	2.9	PASS		
102	E.164114	36.0	30.5	67	B	42.5	34.0	77	B	33.0	40.5	74	B	26.0	34.0	60	C	40.0	34.0	74	B	25.5	36.5	62	C	17.0	67.0	84	A	2.9	PASS		
103	E.164116	25.0	32.0	57	C	32.5	30.5	63	C	26.0	36.5	63	C	20.5	28.5	49	D	36.0	30.0	66	B	33.0	38.0	71	B	19.0	69.0	88	A	2.4	SUPPL(JLT04)212		
104	E.164117	27.0	26.0	53	C	33.0	26.5	60	C	38.5	36.0	75	B	23.5	42.0	66	B	22.0	26.5	49	D	26.5	33.0	60	C	17.0	60.0	77	B	2.3	SUPPL(JLT04)104,111,213		
105	E.164119	33.0	35.5	69	B	44.5	35.5	80	A	38.5	44.0	83	A	32.0	31.0	63	C	44.5	39.5	84	A	29.5	33.0	63	C	19.0	58.0	77	B	3.1	PASS		
106	E.164120	35.0	35.0	70	B	35.5	34.5	70	B	34.5	38.0	73	B	28.5	42.0	71	B	45.0	42.0	87	A	27.5	34.0	62	C	16.0	55.0	71	B	3.0	POSTPONE(JLT04)102		
107	E.164121	33.0	28.0	61	C	34.5	26.5	61	C	37.0	38.5	76	B	29.0	31.0	60	C	24.5	16.0	41	D	25.0	39.0	64	C	20.0	70.0	90	A	2.4	SUPPL(JLT04)213		

Mod		10				7				8				9				8				6				12				Semester G.P.A	Remarks		
Mod		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210							
S/N	Exam Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR
108	E.164122	25.0	21.5	47	D	42.0	33.5	76	B	35.0	43.5	79	B	35.5	35.0	71	B	39.0	22.0	61	D	31.5	39.5	71	B	18.0	65.0	83	A	2.6	SUPPL(JLT04)104,107,205,213		
109	E.164123	25.0	25.0	50	C	38.5	25.5	64	C	37.5	41.5	79	B	27.0	39.5	67	B	29.5	25.0	55	C	28.0	30.5	59	C	19.0	60.0	79	B	2.4	SUPPL(JLT04)103,104,107		
110	E.164124	24.5	22.5	47	D	35.0	29.5	65	B	24.0	25.5	50	C	27.5	28.0	56	C	20.5	22.0	43	D	30.5	29.0	60	C	15.0	68.0	83	A	2.2	SUPPL(JLT04)102,107,109,205,213		
111	E.164125	36.0	32.0	68	B	38.5	30.5	69	B	24.0	41.0	65	B	37.0	36.5	74	B	31.5	35.5	67	B	34.0	36.5	71	B	20.0	63.0	83	A	3.2	SUPPL(JLT04)104		
112	E.164126	29.0	37.5	67	B	43.0	42.0	85	A	42.0	45.5	88	A	33.5	38.0	72	B	42.5	25.0	68	B	33.5	28.5	62	C	20.0	70.0	90	A	3.3	PASS		
113	E.164127	27.0	25.0	52	C	41.0	32.0	73	B	35.5	36.5	72	B	29.5	40.0	70	B	27.5	36.0	64	C	31.0	35.0	66	B	19.0	68.0	87	A	2.9	SUPPL(JLT04)104,107		
114	E.164128	26.0	31.0	57	C	36.5	35.5	72	B	35.0	34.5	70	B	34.5	40.5	75	B	36.0	39.5	76	B	31.5	38.0	70	B	20.0	50.0	70	B	2.8	SUPPL(JLT04)109,111		
115	E.164129	25.0	27.0	52	C	34.0	23.0	57	D	31.0	36.5	68	B	20.0	30.5	51	C	26.5	10.0	37	F	33.5	39.0	73	B	17.0	68.0	85	A	2.2	SUPPL(JLT04)102,104,206,213		
116	E.164130	28.0	20.5	49	D	33.0	29.0	62	C	35.0	34.0	69	B	33.5	31.5	65	B	29.0	18.5	48	D	27.5	28.5	56	C	20.0	65.0	85	A	2.3	SUPPL(JLT04)104,111,205,213		
117	E.164131	32.5	39.5	72	B	42.0	36.5	79	B	32.0	36.5	69	B	30.0	38.5	69	B	42.0	38.5	81	A	33.0	44.0	77	B	20.0	70.0	90	A	3.3	PASS		
118	E.164132	27.0	25.0	52	C	31.0	22.5	54	D	33.0	31.5	65	B	28.5	41.0	70	B	28.0	25.5	54	C	24.5	27.5	52	C	16.0	54.0	70	B	2.3	SUPPL(JLT04)109,206		
119	E.164133	26.5	30.0	57	C	37.5	27.0	65	B	32.0	34.5	67	B	28.5	39.5	68	B	26.5	28.5	55	C	30.5	38.5	69	B	18.0	50.0	68	B	2.7	SUPPL(JLT04)104		
120	E.164135	26.5	35.5	62	C	33.0	32.5	66	B	39.0	38.5	78	B	41.5	38.0	80	A	33.5	36.0	70	B	28.0	40.5	69	B	20.0	67.0	87	A	3.1	PASS		
121	E.164136	34.0	25.0	59	C	42.5	27.0	70	B	41.5	43.0	85	A	38.0	40.5	79	B	36.0	35.5	72	B	33.0	29.0	62	C	19.0	65.0	84	A	3.0	PASS		
122	E.164137	25.0	32.0	57	C	36.5	33.0	70	B	33.0	32.0	65	B	25.5	25.0	51	C	31.0	33.0	64	C	33.0	29.0	62	C	18.0	72.0	90	A	2.6	SUPPL(JLT04)104		
123	E.164138	25.0	25.0	50	C	39.0	22.0	61	D	32.0	27.5	60	C	27.0	27.5	55	C	21.0	20.5	42	D	27.5	36.0	64	C	17.0	66.0	83	A	2.1	SUPPL(JLT04)104,107,111,206, 213		
124	E.164139	27.5	23.5	51	D	31.0	23.5	55	D	31.5	33.0	65	B	24.5	37.5	62	C	26.5	19.0	46	D	28.0	34.0	62	C	13.0	60.0	73	B	1.9	SUPPL(JLT04)102,104,107,111,205,206,213		
125	E.164140	29.5	25.0	55	C	33.5	30.0	64	C	26.5	36.5	63	C	27.5	30.0	58	C	22.0	31.0	53	C	30.0	34.0	64	C	16.0	54.0	70	B	2.2	SUPPL(JLT04)104		
126	E.164141	35.0	34.5	70	B	44.0	39.0	83	A	44.0	48.5	93	A	43.5	41.5	85	A	41.5	35.5	77	B	31.0	39.0	70	B	20.0	70.0	90	A	3.6	PASS		
127	E.164142	29.0	33.0	62	C	41.5	30.0	72	B	36.5	34.5	71	B	35.0	16.5	52	D	25.1	9.5	35	F	27.5	26.5	54	C	20.0	68.0	88	A	2.2	SUPPL(JLT04)103,111,212,213		
128	E.164144	32.0	25.5	58	C	38.0	27.5	66	B	33.0	41.5	75	B	35.0	39.5	75	B	34.5	31.0	66	B	31.5	35.0	67	B	18.0	66.0	84	A	3.0	PASS		
129	E.164145	29.5	26.0	56	C	34.5	28.0	63	C	30.0	30.0	60	C	20.0	35.5	56	C	33.0	31.0	64	C	29.0	30.0	59	C	16.0	54.0	70	B	2.2	SUPPL(JLT04)104,107		
130	E.164146	32.0	34.0	66	B	36.5	32.0	69	B	32.0	46.5	79	B	32.0	36.5	69	B	34.5	41.0	76	B	28.5	36.0	65	B	16.0	68.0	84	A	3.2	PASS		
131	E.164147	27.5	21.5	49	D	40.0	30.5	71	B	25.0	29.0	54	C	26.0	29.5	56	C	26.0	20.5	47	D	28.5	27.0	56	C	19.0	74.0	93	A	2.2	SUPPL(JLT04)102,104,107,109,111,205,213		
132	E.164149	25.0	25.0	50	C	28.5	25.5	54	C	22.0	19.5	42	D	31.5	17.0	49	D	22.0	21.0	43	D	32.5	25.0	58	C	19.0	69.0	88	A	1.9	SUPPL(JLT04)102,103,104,107,109,208,212,213		
133	E.164150	25.0	19.5	45	D	38.0	17.0	55	D	24.5	27.0	52	C	25.5	34.0	60	C	31.5	28.0	60	C	30.0	35.0	65	B	16.0	60.0	76	B	2.0	SUPPL(JLT04)107,109,205,206		
134	E.164151	38.0	34.0	72	B	35.5	27.5	63	C	37.5	37.5	75	B	36.5	33.5	70	B	34.5	40.5	75	B	28.0	34.5	63	C	19.0	63.0	82	A	2.9	PASS		
135	E.164153	32.5	26.5	59	C	36.0	27.0	63	C	32.5	29.5	62	C	21.0	21.5	43	D	36.5	15.5	52	D	28.5	37.0	66	B	20.0	70.0	90	A	2.2	SUPPL(JLT04)107,111,212,213		
136	E.164154	26.5	23.5	50	D	36.5	30.0	67	B	26.5	35.5	62	C	25.5	29.5	55	C	29.0	15.0	44	D	27.5	33.5	61	C	19.0	70.0	89	A	2.2	SUPPL(JLT04)107,205,213		
137	E.164155	25.0	15.5	41	D	36.0	31.0	67	B	29.5	29.5	59	C	27.5	32.5	60	C	24.5	24.0	49	D	30.5	35.0	66	B	20.0	45.0	65	B	2.1	SUPPL(JLT04)107,111,205,213		

Mod		10				7				8				9				8				6				12				Semester G.P.A	Remarks		
Mod		JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210							
S/N	Exam Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR
138	E.164156	36.0	29.0	65	B	36.5	25.5	62	C	28.5	38.5	67	B	30.0	35.5	66	B	41.0	30.5	72	B	32.0	42.0	74	B	20.0	60.0	80	A	3.0	PASS		
139	E.164157	26.0	21.5	48	D	35.0	27.5	63	C	25.0	31.0	56	C	24.0	16.5	41	D	26.5	18.0	45	D	22.5	38.0	61	C	19.0	60.0	79	B	1.7	SUPPL(JLT04)102,104,107,109,205,212,213		
140	E.164158	26.0	22.0	48	D	35.0	29.0	64	C	30.0	27.5	58	C	32.5	41.0	74	B	27.0	27.0	54	C	29.5	32.0	62	C	17.5	58.0	76	B	2.1	SUPPL(JLT04)205		
141	E.164159	20.5	31.5	52	C	27.5	18.0	46	D	26.0	28.0	54	C	19.5	26.0	46	D	23.0	21.0	44	D	29.5	39.0	69	B	19.0	74.0	93	A	2.1	SUPPL(JLT04)102,104,111,206,212,213		
142	E.164160	25.0	32.0	57	C	35.0	26.5	62	C	34.5	25.5	60	C	33.0	31.0	64	C	27.0	13.0	40	D	30.5	28.5	59	C	18.0	60.0	78	B	2.0	SUPPL(JLT04)103,104,107,111,213		
143	E.164162	28.0	26.5	55	C	35.5	25.0	61	C	27.5	35.0	63	C	35.0	30.0	65	B	28.5	26.5	55	C	27.5	25.0	53	C	20.0	60.0	80	A	2.5	PASS		
144	E.164165	25.5	18.0	44	D	32.5	31.5	64	C	31.5	34.0	66	B	39.0	39.0	78	B	33.5	27.0	61	C	31.0	34.0	65	B	20.0	62.0	82	A	2.6	SUPPL(JLT04)104,205		
145	E.164166	25.0	16.0	41	D	30.0	26.5	57	C	31.0	32.0	63	C	29.5	25.0	55	C	27.0	25.5	53	C	30.5	29.5	60	C	19.0	70.0	89	A	2.2	SUPPL(JLT04)104,107,205		
146	E.164167	29.0	26.0	55	C	39.0	34.5	74	B	40.5	27.5	68	B	27.0	31.5	59	C	25.0	35.5	61	C	35.0	32.5	68	B	19.0	65.0	84	A	2.7	SUPPL(JLT04)107,111		
147	E.164168	28.5	25.5	54	C	32.5	26.0	59	C	34.5	28.5	63	C	34.0	26.0	60	C	28.0	33.5	62	C	29.5	38.0	68	B	19.0	40.0	59	C	2.1	SUPPL(JLT04)104		
148	E.164169	28.5	20.5	49	D	31.5	37.0	69	B	31.5	34.0	66	B	18.0	28.5	47	D	24.0	29.5	54	C	27.5	36.0	64	C	18.0	61.0	79	B	2.1	SUPPL(JLT04)104,107,205,212		
149	E.164170	28.0	33.0	61	C	37.0	40.5	78	B	31.0	30.5	62	C	27.0	42.5	70	B	26.5	21.5	48	D	34.0	26.0	60	C	20.0	64.0	84	A	2.5	SUPPL(JLT04)104,107,213		
150	E.164171	36.0	26.5	63	C	35.5	32.5	68	B	36.0	36.5	73	B	36.0	32.0	68	B	30.5	26.5	57	C	30.5	39.0	70	B	19.0	55.0	74	B	2.7	SUPPL(JLT04)104		
151	E.164172	26.5	20.5	47	D	33.0	35.0	68	B	29.5	33.0	63	C	18.0	25.5	44	D	28.5	25.0	54	C	32.5	38.0	71	B	18.0	68.0	86	A	2.3	SUPPL(JLT04)104,107,111,205,212		
152	E.164173	25.0	22.0	47	D	35.0	32.5	68	B	36.5	36.0	73	B	26.5	37.5	64	C	40.5	25.0	66	B	31.0	37.0	68	B	19.0	70.0	89	A	2.7	SUPPL(JLT04)111,205		
153	E.164174	28.0	32.0	60	C	36.0	27.0	63	C	32.5	40.5	73	B	26.0	23.0	49	D	29.5	35.5	65	B	26.5	40.0	67	B	17.0	65.0	82	A	2.6	SUPPL(JLT04)103,111,212		
154	E.164175	25.0	23.5	49	D	36.0	28.0	64	C	37.0	36.5	74	B	34.0	33.0	67	B	45.0	30.0	75	B	25.5	28.0	54	C	20.0	55.0	75	B	2.4	SUPPL(JLT04)104,107,205		
155	E.164176	26.0	33.5	60	C	33.0	28.0	61	C	32.5	38.0	71	B	32.0	28.5	61	C	46.5	41.0	88	A	30.5	33.5	64	C	18.0	76.0	94	A	2.8	PASS		
156	E.164179	25.0	23.5	49	D	35.0	30.0	65	B	24.5	25.5	50	C	32.0	35.0	67	B	24.0	27.0	51	C	33.5	41.0	75	B	16.0	60.0	76	B	2.4	SUPPL(JLT04)102,107,205		
157	E.164180	25.0	27.5	53	C	43.5	17.5	61	D	32.5	33.0	66	B	29.5	33.0	63	C	41.5	28.5	70	B	32.0	38.5	71	B	18.0	50.0	68	B	2.4	SUPPL(JLT04)206		
158	E.164182	26.5	26.0	53	C	33.0	30.0	63	C	28.0	29.0	57	C	32.0	37.5	70	B	31.0	19.0	50	D	29.0	30.0	59	C	20.0	65.0	85	A	2.4	SUPPL(JLT04)213		
159	E.164183	25.0	34.0	59	C	37.5	33.0	71	B	33.5	41.0	75	B	34.0	43.0	77	B	40.0	35.0	75	B	30.5	38.5	69	B	19.0	60.0	79	B	2.8	PASS		
160	E.164184	30.0	23.0	53	D	35.5	30.5	66	B	21.0	28.5	50	C	31.0	32.0	63	C	40.0	40.0	80	A	31.0	34.5	66	B	17.0	50.0	67	B	2.5	SUPPL(JLT04)205		
SU	115	115				153				154				146				123				156				159							
MM	45	45				7				6				14				37				4				1							
ARY																																	
PER	0	0				0				0				0				0				0				0							
MO																																	
DUL	160	160				160				160				160				160				160				160							

Mod	10				7				8				9				8				6				12				Semester G.P.A	Remarks				
Mod	JLT04205				JLT04206				JLT04208				JLT04212				JLT04213				JLT04214				JLT04210									
	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			FS	FR	TS	GR
S/N	Exam Number																																	